

Wavelength Distribution
UK Suggested Retail Price List - March 2018 v1.1

Product changes/additions are highlighted by use of the following coloured text:

NEW PRODUCT INTRODUCTIONS:

LoRad Mk 111 Mains Distribution Blocks for UK

Available versions:

Non-filtered blocks in 7-way, 9-way and 11-way
Non-Intrusive Filtered blocks in 4-way, 6-way, 7-way, 9-way and 11-way
Surge Protected blocks in 2-way, 4-way, 6-way, 8-way and 10-way

All versions are “BS Approved” and feature 16 Amp inlet sockets
(as opposed to the 10 Amp rated “standard” IEC inlet).

DC Blocker

BS Approved (due early 2018)

Stops DC voltages on UK mains supplies (Other country area versions also available to order)

LoRad 2.5 SPC (silver-plated shielded mains cable)

Now in regular production – available as factory terminated cables or on reels

DisplayPort Video Cables

A new addition, these will be available in early 2018 - POA

Price changes:

Many retail prices have changed. We apologise for this but we have held our pricing on many products for a considerable time and now we have to increase them. (e.g. LoRad “off the reel” cable prices have NEVER been increased since their introduction in 2002, USB cables haven’t been increased since their introduction in 2011...)

Special Order Products

We are not keeping HDMI<>DVI and DVI<>DVI cables in stock and likewise we are only getting the “Low Smoke” Halogen Free HDMI or DVI cables in to order. Please enquire about pricing on these items.

Discontinued Products

Ply 3.4/W speaker cable

We have one or two reels of this left.

“Like us” on <https://facebook.com/supracablesuk>

“Follow us” on https://twitter.com/supracables_uk

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution
UK Suggested Retail Price List - March 2018 v1.1

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - March 2018 v1.1

JenTech Cables and Accessories

JenTech HIGH SPEED 3D HDMI+Ethernet cable (3D ready, HD4K, 10-48bit color, 10.2Gbps)

The "Economy" Line of High Speed 3D HDMI+Ethernet cables from JenTech Technology - the manufacturers of Supra Cables. JenTech HDMI is a thin and highly flexible cable, produced in a neutral white outer sheathing, ideal for wall fixing. The cable is designed for the latest HDMI standard, HDMI High Speed with Ethernet. HDMI Ethernet Channel enables a fast and bidirectional communication, up to 100Mb/sec. Perfect for all IP-based applications. The Audio Return Channel also permits audio to be returned from the TV's built-in digital tuner - which can send the digital audio to a surround sound system, eliminating the need for a separate audio cable.

Supplied as HDMI <> HDMI connector

Length	1m	1.5m	2m	3m	4m	5m		Only these lengths are available.
SRP	35.00	37.50	40.00	45.00	50.00	55.00	each	

Supplied as HDMI <> mini C HDMI connector

Length	1m		2m	3m				Only these lengths are available at present.
SRP	35.00		40.00	45.00			each	

JenTech DB06/EU 6 way mains block – FOR EUROPE ONLY, not suitable for UK

A simple 6 way Schuko mains block, without any filtering and with factory fitted with a CAPTIVE LoRad 1.5 Mk 1 shielded mains cable (in grey to match the block) of 1.5m length, terminated with a moulded, right angle Schuko plug .

Cable Length	1.5m	
SRP	90.00	

JenTech Sky 11 Economy Speaker cables

Multi-stranded copper OFC. Highly suitable for use as a "freebie" cable or for supplying with budget systems. We provide guide retail prices, as most retailers will usually use these as high quality "get you going" cables for inclusion in complete system packages.

Product	Sky 11 0.75mm White only	Sky 11 1.6mm Black, White or Transparent	Sky 11 2.5mm Black, White or Transparent	Sky 11 4.0mm Black, White or Transparent
Length on reel	600m	200m	200m	100m
SRP (guide only)	1.50	2.50	3.50	5.00
Notes				

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Digital Video cables – HDMI and DVI

HD5 is Supra's NEW “next generation” design of Digital Video cable.

HD5 is available with HDMI connectors and capable of carrying digital video signals AND network connectivity. Adds a data channel to the HDMI cable will enable high-speed bi-directional communication. Send and receive data via 100 Mb/sec Ethernet, making them instantly ready for any IP-based application. **Features: v2.0 approved** (see below) Signal Bandwidth: 340 MHz. TMDS Bandwidth: 10.2 Gbit/s. Color Depth: 48 bit/px. **4K x 2K Resolution support: Enables video resolutions far beyond 1080p.** Deep Color, x.v.Color. Auto Lip Sync. Dolby TrueHD, DT-HD Master Audio. 3D over HDMI. Audio Return Channel. Ethernet Channel.

Note: HD5 cables support 4K resolution as follows: Lengths: 0.5m-10m up to 4096 x 2160 @ 60Hz , Lengths from 12m to 20m 4096 x 2160 @ 24/30Hz

**** We can supply HDMI<->HDMI cables up to 30 metres in length. ****

Supra HD5 STANDARD HIGH SPEED 3D HDMI+Ethernet cable

The HD5 cable is available using standard non-detachable HDMI connectors, whilst still complying with the High Speed spec.

Length	0.5m	1m	1.5m	2m	3m	4m	5m	6m	8m	10m	12m	15m
SRP	45.00	n/a	n/a	n/a	70.00	80.00	90.00	100.00	120.00	140.00	160.00	n/a

The above items are available “whilst stocks last” as they will be phased out, and replaced with the Met-S versions

Supra HD5 Met S HIGH SPEED HDMI+Ethernet cable

The Met-S is factory-fitted with 2x straight “removable” housings, making it suitable for installation where the cable needs to be fed through a conduit, as the outer shell can be unscrewed. The previously supplied “angled” housing plus draw-through braid are now optional extras. **Please note: HD5 Met-S cables up to 5m length use the HD5/S “slim” cable (o/d is only 7mm). HD5 cables over 5m in length use the standard HD5 cable (9.5mm outside diameter)**

Supra HD5/S Met-S cables

Length	0.5m	1m	1.5m	2m	3m	4m	5m		
SRP	53.50	59.00	64.50	70.00	81.00	92.00	103.00		

Supra HD5 Met-S cables

Length	6m	8m	10m	12m	15m	20m	25m	30m	
SRP	114.00	136.00	158.00	180.00	213.00	268.00	323.00	378.00	

Supra HD5 Met S/B HIGH SPEED HDMI+Ethernet cable

The Met-S/B is factory-fitted with 2x straight removable housings and supplied with extra 1x “bent” housing plus draw-through braid.

Length	1m	2m	3m	4m	5m	6m	8m	
SRP	70.00	80.00	90.00	100.00	110.00	120.00	140.00	
Length	10m	12m	15m	20m	25m	30m		
SRP	n/a	180.00	210.00	260.00	310.00	360.00		

The above items are available “whilst stocks last” as they will be phased out, and replaced with the Met-S versions.

We can also supply:

HDMI<->DVI-D terminated cables using HD5/S (up to 5 metres) or HD5 (over 5 metres).

DVI-D <-> DVI-D (single link) terminated cables using HF100, HD5/S, HD5 or HF5/H Halogen Free.

DVI-D-<-> DVI-D (dual link) terminated cable using HD7 cable.

Supra HDMI XT80 High Speed HDMI 3D Extender (requires 2 Ethernet Cables)

Ideal for HDMI installation with long distances between the HDMI devices. Specification: Full-HD resolution up to 80 metres. Two ethernet cables (Cat5e minimum, Cat7+ recommended) are required between the transmitter and receiver. Features: Supports HDCP 1.2, CEC and HDMI High Speed (v1.4). Audio Formats: DTS-HD/Dolby-true HD / LPCM 7.1/DTS/Dolby-AC3/DSD. 3D support. Resolution: 24/50/60fs/1080p/1080i/720p/576p/576i/480p/480i. Up to 80 metres with dual Cat7 network cables. HDMI extender transmitter, receiver and AC adapter included (220-240V, 50-60Hz). Network cables not included. **To order only.**

XT80	Each TX/RX Pair	
SRP	320.00	each

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Digital Audio cables

USB Cables – What HiFi “USB Cable Of The Year” (2012) and What Hi-Fi “5*” Winner (Nov 2012)

Featuring: Flexible cable with dual screens for best RF pick-up protection. One twisted pair for data and another twisted pair for power with individual screens for minimal interference. Low capacitance and efficient noise rejection maintain signal integrity especially over long runs PE-insulated wires with 90 ohm impedance design, 24K gold plated and shielded connectors. High speed USB v2.0 certified. The bandwidth of 480 Mbits/s (60 MB/s) allows USB 2.0 devices to have smaller buffers even at high data rates. (Currently USB 3.0 is not used for USB Audio and hence this cable is more than sufficient for current needs).

Fitted with standard A to B connectors

Fitted with standard A to **mini**-USB B connectors in 1m, 2m and 3m lengths ONLY – for use with some DAC's/portable products

Fitted with standard A to **micro**-USB B connectors in 1m, 2m and 3m lengths ONLY

Fitted with standard MALE A to standard FEMALE A connectors in 1m and 2m lengths ONLY – these can be best thought of as “extenders”, which can increase the length of a previously purchased cable by a desired amount.

Length	0.7m	1m	2m	3m	4m	5m	8m	10m	12m	15m	
SRP	33.50	36.00	44.00	52.00	60.00	68.00	92.00	108.00	124.00	148.00	

ZAC Fibre Optic cables

Zero Attenuation Concept fibre optic cables are available in a number of lengths, perfect for CD, DVD and LaserDisc players. **ZAC** are fitted with high quality metal body TosLink connectors. Hi-Fi Choice Bronze award winner.

ZAC prices for: tosilink to tosilink, mini-toslink to tosilink, mini-toslink to mini-toslink

Length	15cm	30cm	1m	2m	4m	6m	8m	10m	15m	20m
SRP	35.00	36.50	43.00	52.00	70.00	88.00	106.00	124.00	169.00	214.00

Please note: Mini-tos to tosilink only available in lengths up to 4m, mini-tos to mini-tos in lengths up to 1m. 15cm and 30cm lengths are supplied “bulk packed”.

DAC-XLR

For use as a balanced digital interconnect terminated from XLR to XLR AES/EBU - for digital audio use, 110 ohm

DAC-XLR prices for single male XLR to single female XLR

Length	1m	2m		per extra metre
SRP	55.00	64.00		9.00

CAT7+ Network cables

This is a very wide bandwidth Halogen Free (“Low Smoke”) Ethernet cable, fitted with high grade GG45 type connectors, which are plug compatible with existing RJ45 connectors. Connection is an 8P8C type – meaning that all 4 twisted pairs are utilised to ensure maximum bandwidth (when connected to supported hardware). Cat7+ cables, longer than 20m are available – please enquire.

Length	0.5m	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	20m	
SRP	27.00	n/a	n/a	42.00	48.00	54.00	60.00		84.00	96.00	114.00	144.00	

CAT8 Network cables

This is an improved and more flexible version of Cat7+ Ethernet cable, fitted with high grade GG45 type connectors, which are plug compatible with existing RJ45 connectors and is highly suitable for wired home media systems, where high quality video streamed from local storage is required. Cat8 cables, longer than 20m are available – please enquire.

Length	0.5m	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	20m	
SRP	34.50	38.00	45.00	52.00	59.00	66.00	73.00	80.00	94.00	108.00	129.00	164.00	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Analogue audio cables

DUAL is an entry-level interconnect featuring a PE insulation and low capacitance, making it a good “all-rounder” to suit budget and mid-priced systems. **What Hi-Fi 5* winner.** Dual prices for 2 phono to 2 phono.

Length	0.5m	1m	2m	5m	
SRP	60.00	63.00	69.00	87.00	

DAC cable is a high quality OFC cable using PE foam insulation. **DAC-X** prices for 2 phono to 2 phono

Length	1m	2m		per m
SRP	90.00	108.00		18.00

PHONO cable is a high quality OFC cable for use between turntables and preamps/step up devices – a built-in ground lead helps prevent hum, where required. 2 phono to 2 phono, plus spade to spade (ground).

Length	1m	1.5m	2m		per m
SRP	95.00	102.50	110.00		15.00

EFF-I is our highly regarded silver-plated OFC cable available in four different terminated versions: EFF-IX, EFF-ISL, EFF-IRB and EFF-IXLR, depending on the type of connectors fitted. **EFF-IX** prices for 2 phono to 2 phono - **What Hi-Fi 5* winner**

Length	0.75m	1m	1.5m	2m		per m
SRP	99.25	108.00	125.50	143.00		35.00

EFF-ISL prices for 2 phono to 2 phono (locking types) - **Hi-Fi Choice “Best Buy”**

EFF-IXLR prices for 2 XLR to 2 XLR - Swift short body XLR plugs

Length	0.75m	1m	1.5m	2m		per m
SRP	111.25	120.00	137.50	155.00		35.00

Sword ISL & IXLR are award winning high-end audio interconnects, designed to celebrate Supra’s 30th Anniversary of audio cable production. It is a ZERO INDUCTANCE 2-channel cable designed to complement the award winning Sword Speaker cables. Available as a pair of factory terminated cables, fitted with either locking phono or XLR connectors and supplied in a lavish 30th Anniversary Mahogany presentation box. **Hi-Fi Choice “Editors Choice”**.

Product	Sword-ISL 2 phono to 2 phono	Sword-ISL 2 phono to 2 phono	Sword-ISL 2 phono to 2 phono	per extra stereo metre
Type	0.8m	1.0m	1.5m	
SRP	500.00	530.00	635.00 (inc £30 special order fee)	150.00
Product	Sword-IXLR 2 XLR to 2 XLR	Sword-IXLR 2 XLR to 2 XLR	Sword-IXLR 2 XLR to 2 XLR	per extra stereo metre
Type	0.8m	1.0m	1.5m	
SRP	530.00	560.00	665.00 (inc £30 special order fee)	150.00

Subwoofer cables

Y-Link and **SubLink** are a range of cables purpose designed for use with active subwoofers comprising phono to phono and phono to 2 phono cables. SubLink cables are also available as phono<->XLR and XLR<->XLR - POA

Y-Link “splitter” 1 inline phono socket <->2 phono plugs

Designed as a splitter, featuring a single Female in-line RCA socket going to 2x Male RCA plugs. Also available as a single Male RCA plug and 2x Female in-line RCA sockets. Available in Ice Blue only.

Length	25cm	
SRP	50.00	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Y-Link phono to 2 phono cables - cables – Please specify which COLOUR cables you require - Ice Blue or White sheathing

Length	2m	4m	6m	8m	10m	12m	15m		Ice Blue is supplied as standard
SRP	65.00	72.00	79.00	93.00	107.00	121.00	142.00		£7.00/m

Sublink for phono to phono cables – Please specify which COLOUR cables you require - Ice Blue or White sheathing

Length	2m	4m	6m	8m	10m	12m	15m		Ice Blue is supplied as standard
SRP	40.00	50.00	60.00	70.00	80.00	90.00	105.00		£5.00/m

MP-Cable An analogue interconnect cable for Ipod/Phone/Pad/MP3 / Car Audio. Equipped with a slim & gold plated mini plug. The cable is fully screened, which minimizes the interference from electric alternating fields. For those who want the best possible sound from your mobile devices. Only these lengths are available.

3.5mm to 3.5mm stereo plug

Length	0.5m	0.8m	1.2m	
SRP	12.00	13.00	14.00	

3.5mm stereo plug to 2RCA plugs

Length	0.5m	1.0	2.0m	
SRP	25.00	27.00	29.00	

Analogue Video / Co-Ax Digital cables

Supra manufacture a range of single, dual, and multiple core analogue co-axial cables, suitable for a wide range of uses, carrying composite video, s-video, component video, RGB, as well as digital audio, TV, FM and data control lines. Connectors that can be fitted include phono, BNC, scart, DVI, TV co-ax.

AnCo is Supra's entry level co-ax cable, featuring a silver plated OFC conductor core and can be supplied with phono, BNC, and TV/FM co-ax connectors. Prices shown below are for: phono to phono, TV co-ax (M-F) or TV co-ax (M-M)

Length	1m	2m	3m	4m		per m
SRP	45.00	52.00	59.00	66.00		7.00

Trico is Supra's multi-shielded silver plated co-ax cable, suitable for high end installations, where quality counts. Trico can also be used as a digital audio cable. Trico is a What Hi-Fi 5* winner. Prices shown below are for: phono to phono, phono to BNC, phono to 3.5mm, phono to scart, BNC to BNC, BNC to phono

Length	1m	2m	4m		per m
SRP	63.00	78.00	108.00		15.00

Please note that Supra continues to manufacture various other cables as follows:

- AV2 S-video cable
- AV3 component video cable
- AV6 6-way video cable
- FS fully wired scart cable

As such, if you have a requirement for a specific length or termination of the above, then please enquire so that we can provide you with a quotation and lead time.

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

LORAD MK 11 MAINS CABLES

LoRad is a worldwide patented, CE-approved audio grade shielded mains cable, available “off the reel”, using multi-stranded tin-plated OFC conductors. The cable is shielded via a carbon/mylar screen, which is in “touching” contact with the drain wire. As such, the drain wire **MUST** be connected to the EARTH terminal at EACH END of the cable. Standard insulation colours are used: Brown (L), Blue (N) and Green/Yellow (E).

LoRad 1.5 is rated at up to 10 Amps, making it suitable for virtually all Home Consumer kit, excepting high output power amps or AV receivers. LoRad 2.5 is rated at up to 16 Amps and hence can be used both for big “monster” amplifiers, as well as for use with distribution blocks or as a dedicated spur from fuse box/distribution board to wall socket(s).

Please note: We **DO NOT RECOMMEND** that LoRad cable is laid inside walls or under floorboards, where it's presence **CANNOT** easily be detected by conventional mains cable “finders” (unless perhaps photo evidence is provided to ensure that owners **KNOW** where the cable has been installed).

For 2018, the LoRad 2.5 Mk 11 using silver-plated OFC for the conductors will be retained in production.

Product	LoRad 1.5 Mk 11 Ice Blue	LoRad 2.5 Mk 11 Ice Blue	LoRad 2.5 Mk 11 SPC Anthracite
Type	100m	50m	50m
SRP	12.00	18.00	25.00
Notes	10 Amp capacity	16 Amp capacity	16 Amp capacity

Mains accessories – IEC connectors

Product	LoRad SWF-10	LoRad SWF-10	LoRad SWF-16	LoRad SWF-16
Type	IEC Connector	IEC Connector	IEC Connector	IEC Connector
SRP	14.00	16.00	14.00	16.00
Notes	Gold-plated contacts - Bulk packed	Gold-plated contacts - Blister packed	Gold-plated contacts - Bulk-packed	Gold-plated contacts - Blister packed

Mains accessories – UK, EU, US plugs and AC sensor

Product	BS-UK	BS-UKG	LoRad SW-EU	LoRad SW-EU	LoRad SW-EU/A	LoRad SW-US	AC Sensor
Type	UK 13Amp plug	UK 13Amp plug	Schuko Connector	Schuko Connector	Angled Schuko Connector	US Connector	Switchable sensitivity 110-240V
SRP	10.00	18.00	16.00	18.00	16.00	16.00	25.00
Notes	Gold-plated contacts - Bulk-packed	Features Gold-plated Bussman fuse	Gold-plated contacts - Bulk-packed	Gold-plated contacts - Blister packed	Gold-plated contacts - Bulk-packed	Gold-plated contacts - Bulk-packed	Detects hidden mains cables. Beep tone

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

LoRad is a range of affordable, CE-approved shielded mains power cables available factory-terminated with various approved mains connectors, or available unterminated on reels, to enable either DIY assembly (with any connector the customer chooses), or for use in re-wiring electrical spurs from consumer units, to dedicated sockets for hi-fi and/or AV systems.

UK versions:

The LoRad terminated cables combine a factory-terminated LoRad Ice Blue cable, a 13A UK mains plug (featuring gold-plated pins) and the Supra SWF-10 IEC connector. LoRad 1.5 is rated at 10 Amps and LoRad 2.5 is rated at 16 Amps.

LoRad 1.5 13A UK to SWF-10 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		Other lengths add per m	ADD for Gold-plated mains fuse
SRP	60.00	66.00	72.00	96.00		12.00	8.00

LoRad 2.5 13A UK to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		Other lengths add per m	ADD for Gold-plated mains fuse
SRP	66.00	75.00	84.00	120.00		18.00	8.00

LoRad 2.5 MK 11 SILVER 13A UK to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		Other lengths add per m	ADD for Gold-plated mains fuse	Cable colour:
SRP	75.00	87.50	100.00	150.00		25.00	8.00	Anthracite

LoRad 2.5 kit combines a pre-prepared length of LoRad 2.5 with 13A UK mains plug and SWF-10 IEC connector supplied separately.

Length	1.0	1.5m	2m	4m		Other lengths add per m
SRP	49.00		64.00	94.00		18.00

Please note: We can OPTIONALLY supply the above factory-terminated cables fitted with a Bussman Gold-Plated fuse inside the Supra UK mains plug. For this service, please add the following amount per EACH cable. Please note that for the time being, such cables will need to be adapted on an "as needed" basis and hence this might slightly delay shipping your order (until we can gauge what demand there will be for this service and hence we can then start introducing these as "stock items" !!).

	Each	
SRP	8.00	

EUROPEAN versions:

LoRad 1.5 and LoRad 2.5 are also available with Supra's own Schuko connectors and a choice of either SWF-10 or SWF-16 IEC connectors. Angled Schuko connectors are also available to order.

LoRad 1.5 Schuko (or Angled Schuko) to SWF-10 IEC factory terminated cable prices.

Length	1m	1.5m	2m	4m		Other lengths add per m
SRP	66.00	72.00	78.00	102.00		12.00

LoRad 2.5 Schuko (or Angled Schuko) to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m		Other lengths add per m
SRP	72.00	81.00	90.00	126.00		18.00

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Supra LoRad Multi-way Mains Distribution Blocks feature an all-aluminium shielded chassis, upon the top of which are inset numerous mains sockets. We offer TWO standard versions: the first has NO FILTERING AT ALL and the second includes Non-Intrusive Filtering, which works in PARALLEL to the incoming mains supply and hence should have little if any effect on the sound quality. The /SP versions of the block features the Tommy Jenving designed 3-way "Surge Protection System" as well as Non-Intrusive Filtering, ensuring maximum reduction in spurious mains interference.

Mains input is by way of a 3 pin IEC chassis mount connector. NO INPUT CABLE is supplied with these items, leaving customers with a free choice as to the length of cable required to run from the wall socket to the mains block.

Please note: These blocks are manufactured "in house" in the Supra factory in Sweden. We can therefore entertain **special orders**, such as alternative outlets (such as Australian, Belgian, Swiss, US) etc as well as specific internal wiring arrangements. Please contact us for details.

4-way up to 11-way UK Mains Distribution Blocks - Non Filtered - supplied WITHOUT cables: (for use with "sensitive" amplifier products).

Product	MD04-BS-16 Mk 111	MD06-BS-16 Mk 111	MD07-BS-16 Mk 111	MD09-BS-16 Mk 111	MD11-BS-16 Mk 111
Type	4x UK sockets	6x UK sockets	7x UK sockets	9x UK sockets	11x UK sockets
SRP	170.00	210.00	230.00	270.00	310.00
Notes	4 way NO filtering 16A IEC inlet	6 way NO filtering 16A IEC inlet	7 way NO filtering 16A IEC inlet	9 way NO filtering 16A IEC inlet	11 way NO filtering 16A IEC inlet

4-way up to 11-way UK Mains Distribution Blocks - Non-Intrusive Filtered - supplied WITHOUT cables:

Product	MD04-BS/NIF-16 Mk 111	MD06-BS/NIF-16 Mk 111	MD07-BS/NIF-16 Mk 111	MD09-BS/NIF-16 Mk 111	MD11-BS/NIF-16 Mk 111
Type	4x UK sockets	6x UK sockets	7x UK sockets	9x UK sockets	11x UK sockets
SRP	170.00	210.00	230.00	270.00	310.00
Notes	4 way NIF filters only 16A IEC inlet	6 way NIF filters only 16A IEC inlet	7 way NIF filters only 16A IEC inlet	9 way NIF filters only 16A IEC inlet	11 way NIF filters only 16A IEC inlet

2-way up to 10-way UK Mains Distribution Blocks - Non-Intrusive Filtered + Surge Protected - supplied WITHOUT cables:

Product	MD02-BS/SP-16 Mk 111	MD04-BS/SP-16 Mk 111	MD06-BS/SP-16 Mk 111	MD08-BS/SP-16 Mk 111	MD10-BS/SP-16 Mk 111
Type	2x UK sockets	4x UK sockets	6x UK sockets	8x UK sockets	10x UK sockets
SRP	180.00	220.00	260.00	300.00	340.00
Notes	2 way Surge-Protection built-in 16A IEC inlet	4 way Surge-Protection built-in 16A IEC inlet	6 way Surge-Protection built-in 16A IEC inlet	8 way Surge-Protection built-in 16A IEC inlet	10 way Surge-Protection built-in 16A IEC inlet

Note: Socket 1 on MD02, MD04 & MD06 and Sockets 1 and 2 are NOT Filtered but ARE Surge Protected.

DC Blocker

Supra have designed a compact DC Blocker, featuring a 16 Amp inlet on the supply side and a single 13 Amp UK socket on the output side. The unit is designed to prevent any DC voltages up to approx 3.6V from entering any connected equipment and it is rated up to 13 Amps. (Available early 2018).

DC Blocker - supplied WITHOUT cables or for limited time with a 1m or 2m LoRad 2.5 cable if bought together.

Product	LoRad MD01-DC-BS	LoRad MD01-DC-BS	LoRad MD01-DC-BS	Versions for other countries also available
Type	1x UK socket	1x UK socket	1x UK socket	EU, BE, CH, US, AUS
SRP	400.00	430.00	448.00	POA
Notes	1 way 16A IEC inlet	1 way 16A IEC inlet + LoRad 2.5 1m cable	1 way 16A IEC inlet + LoRad 2.5 2m cable	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

2, 3, 4 and 6-way - European Mains Distribution Blocks – Filtered (NIF) only - supplied WITHOUT cables

Product	LoRad MD02-EU/NIF Mk 111 UN-SWITCHED	LoRad MD03-EU/NIF Mk 111 UN-SWITCHED	LoRad MD04-EU/NIF Mk 111 UN-SWITCHED	LoRad MD06-EU/NIF Mk 111 UN-SWITCHED	LoRad MD06-EU/NIF Mk 111 SWITCHED
Type	2x Schuko sockets	3x Schuko sockets	4x Schuko sockets	6x Schuko sockets	6x Schuko sockets
SRP	120.00	130.00	140.00	180.00	190.00
Notes	2 way NIF filters only 10A IEC inlet	3 way NIF filters only 10A IEC inlet	4 way NIF filters only 10A IEC inlet	6 way NIF filters only 10A IEC inlet	6 way NIF filters only SWITCHED 10A IEC inlet

2, 3, 4 and 6-way - European Mains Distribution Blocks – NIF + Surge Protection built in - supplied WITHOUT cables

Product	LoRad MD02-EU/SP Mk 111 UN-SWITCHED	LoRad MD03-EU/SP Mk 111 UN-SWITCHED	LoRad MD04-EU/SP Mk 111 UN-SWITCHED	LoRad MD06-EU/SP Mk 111 UN-SWITCHED	LoRad MD06-EU/SP Mk 111 SWITCHED
Type	2x Schuko sockets	3x Schuko sockets	4x Schuko sockets	6x Schuko sockets	6x Schuko sockets
SRP	170.00	180.00	190.00	220.00	230.00
Notes	2 way Surge-Protection built-in 10A IEC inlet	3 way Surge-Protection built-in 10A IEC inlet	4 way Surge-Protection built-in 10A IEC inlet	6 way Surge-Protection built-in 10A IEC inlet	6 way Surge-Protection built-in SWITCHED 10A IEC inlet

8,-10 and 15-way- European Mains Distribution Blocks – NIF + Surge Protection built in - supplied WITHOUT cables

Product	LoRad MD08-EU/SP Mk 111 UN-SWITCHED	LoRad MD10-EU/SP Mk 111 UN-SWITCHED	LoRad MD15-EU/SP Mk 111 UN-SWITCHED	Versions for other countries also available
Type	8x Schuko sockets	10x Schuko sockets	15x Schuko sockets	BE, CH, US, AUS
SRP	260.00	290.00	380.00	POA
Notes	8 way Surge-Protection built-in 16A IEC inlet	10 way Surge-Protection built-in 16A IEC inlet	15 way Surge-Protection built-in 16A IEC inlet	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Flat 1.6 is a super flat speaker cable, only 1.95mm thick. Ideal for unobtrusive wiring on wall or under carpet. Can be taped to the wall with Supra's double-sided tape. The conductors consists of compressed tin plated OFC braid. The special production process makes the cable both super flat and highly flexible. The tin also contributes to a better sound quality by minimising the skin-effect and making less current jumps between the wire surfaces. One set of 10m Supra Cable Mounting Tape MT9 is included in cable carton.

Product	Flat 1.6mm	MT6 mounting tape	MT9 mounting tape	
Length on reel	200m	10m	10m	
SRP (per m)	4.00	5.00	6.00	
Notes	White			

Classic cables are made from multi-stranded >5N purity Tin-plated Oxygen Free Copper. An ion-stable PVC outer jacket minimises corrosion whilst remaining extremely flexible. Ideal for longer runs as cable resistance is amongst the lowest in it's class. The Classic 1.6HT, 2.5HT and 4.0HT versions use *Halogen Free insulation*, making it flame-proof and highly suitable for multi-room installation. **Please specify which COLOUR cables you require -either Ice Blue or White sheathing is now available.**

Product	1.6HT	2.5T	2.5HT	4.0T	4.0HT	6.0T
Length on reel	300m	200m	200m	100m	100m	100m
SRP (per m)	3.00	4.00	4.50	6.50	7.00	9.00
Notes	Ice Blue Halogen Free	Ice Blue or White	Ice Blue Halogen Free	Ice Blue or White	Ice Blue Halogen Free	Ice Blue

Rondo 2x2.5T is the single wired version of the popular Rondo 4x2.5, and is suitable for wiring budget or mid-range hi-fi and AV systems using high quality Tin-plated OFC conductors, in a single robust outer jacket.

Product	Rondo 2x2.5T	
Length on reel	100m	
SRP (per m)	7.00	
Notes	Ice Blue or Anthracite	

Rondo 4x1.6/HT, 4x2.5T and Rondo 4x4T are for bi-wiring a wide range of low, medium or high power systems (based on cable thickness), and combine the strengths of Supra's Tin-plated OFC cables, in a single robust outer jacket.

Product	Rondo 4x1.6/HT	Rondo 4x2.5T	Rondo 4x4T
Length on reel	100m	75m	50m
SRP (per m)	7.50	10.00	14.00
Notes	Ice Blue or Anthracite Halogen Free	Ice Blue or Anthracite What Hi-Fi "Best Buy" What Hi-Fi 5* winner	Ice Blue or Anthracite

Linc Series is a shielded speaker cable, designed to minimise the effects of external interference on the sound quality, as well as preventing electro-magnetic radiation from the speaker cable affecting low level cables, close to the amplifier.

Product	Linc 2x2.5	Linc 2x4.0	
Length on reel	100m	100m	
SRP (per m)	7.00	9.00	
Notes	Ice Blue	Ice Blue	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Ply Series is a low resistance, multi-stranded cable using a proprietary Tin Plated Oxygen Free Copper mixture, of square section and low inductance. A shielded version of Ply 3.4 is now available, called the Ply 3.4/S. The new version uses three distinct Supra technologies tin-plating, RF shielding and low inductance. **Please specify which COLOUR cables you require -either Ice Blue or White sheathing is now available.**

Product	Ply 2.0	Ply 3.4	Ply 3.4/W	Ply 3.4/S
Length on reel	100m	100m	100m	100m
SRP (per m)	8.00	10.00	10.00	12.00
Notes	Ice Blue or White	Ice Blue or White Hi-Fi Choice "Recommended"	Ice Blue only Wider, lower inductance version of Ply 3.4 (while stocks last)	Ice Blue only Shielded version of Ply 3.4 Hi-Fi Choice "Recommended"

Quadrax is a 4-core speaker cable, utilizing PP for its conductor insulation. It comprises 4x 2 sq mm braided, tin-plated OFC inner cores, which can be terminated in one of three ways: "Shotgun" (2-2), Bi-wire (2-4) or Bi-amp (4-4) versions.

Product	Quadrax 4x2.0
Length on reel	50m
SRP (per m)	20.00
Notes	Ice Blue

XL Annorum is a 4-core speaker cable, utilizing PP for its conductor insulation. It comprises 4x 1.6 sq mm braided, OFC copper inner cores, which can be terminated in one of three ways: "Shotgun" (2-2), Bi-wire (2-4) or Bi-amp (4-4) versions.

Product	XL Annorum 4x1.6
Length on reel	75m
SRP (per m)	40.00
Notes	Ice Blue

Factory-packed UNTERMINATED Speaker Cables

We offer the following sets of pre-packed cables in set lengths – note this length shown is the TOTAL length of the cable in the pack and the sets are not supplied as 2 cut pieces:

Product	Total length	Classic 2.5 (Ice Blue)	Classic 4.0 (Ice Blue)	Classic 6.0 (Ice Blue)	Rondo 2x2.5T (Ice Blue)
SRP	5m	30.00	45.00	55.00	50.00
SRP	10m	50.00	75.00	100.00	85.00
SRP	20m	90.00	140.00	X	X

Product		Ply 2.0 (Ice Blue)	Ply 3.4 (Ice Blue)	Ply 3.4/W (Ice Blue)	Ply 3.4/S (Ice Blue)
SRP	5m	50.00	60.00	65.00	75.00
SRP	10m	85.00	110.00	120.00	135.00

Product		Rondo 4x1.6HT Biwire (Ice Blue)	Rondo 4x2.5 Biwire (Ice Blue)	Rondo 4x4 Biwire (Ice Blue)
SRP	5m		60.00	75.00
SRP	10m		110.00	145.00

Some of the preceding cables are also available in White or Anthracite Grey – please enquire with regards to delivery times for these.

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Factory terminated speaker cables

Ply cables are also available in factory terminated pairs of cables, fitted with Supra CombiCon Crimp connectors.

Product	Ply 2.0 (Ice Blue)	Ply 2.0 (Ice Blue)	Ply 2.0 (Ice Blue)	
Type	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	148.00	164.00	180.00	16.00

Product	Ply 3.4 (Ice Blue)	Ply 3.4 (Ice Blue)	Ply 3.4 (Ice Blue)	
Type	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	154.00	174.00	194.00	20.00

Product	Ply 3.4/W (Ice Blue)	Ply 3.4/W (Ice Blue)	Ply 3.4/W (Ice Blue)	
Type	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	150.00	170.00	190.00	20.00

Product	Ply 3.4/S (Ice Blue)	Ply 3.4/S (Ice Blue)	Ply 3.4/S (Ice Blue)	
Type	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	162.00	186.00	210.00	24.00

Quadrax loudspeaker cable is the NEW Mid/High End speaker cable from Supra, but at an affordable price. Available "off the reel" or in factory terminated pairs, and supplied with CombiCon Crimp Banana/BFA and spade connectors, this new cable is available in "shotgun", bi-wire or bi-amp and features: 4x 2 sq mm tin-plated OFC conductors in "STAR-QUAD" configuration, PP insulation, short pitch twisting for low inductance.

Product	Quadrax "shotgun" (2-2)	Quadrax "shotgun" (2-2)	Quadrax "shotgun" (2-2)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	260.00	300.00	340.00	40.00

Product	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	310.00	350.00	390.00	40.00

Product	Quadrax bi-amp (4-4)	Quadrax bi-amp (4-4)	Quadrax bi-amp (4-4)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	360.00	400.00	440.00	40.00

XL Annorum loudspeaker cable is the 40th Anniversary Speaker Cable, designed in conjunction with the designer of QLN Loudspeakers. Supplied initially in factory terminated pairs, and supplied with CombiCon Crimp Banana/BFA and spade connectors, this new cable is available in "shotgun", bi-wire or bi-amp and features: 4x 2 sq mm tin-plated OFC conductors in "STAR-QUAD" configuration, PP insulation, short pitch twisting for low inductance.

Product	XL "shotgun" (2-2)	XL "shotgun" (2-2)	XL "shotgun" (2-2)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	350.00	430.00	510.00	80.00

Product	XL bi-wire (2-4)	XL bi-wire (2-4)	XL bi-wire (2-4)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	400.00	480.00	560.00	80.00

Product	XL bi-amp (4-4)	XL bi-amp (4-4)	XL bi-amp (4-4)	per extra stereo metre
Type	2x 2m	2x 3m	2x 4m	
SRP	450.00	530.00	610.00	80.00

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Sword loudspeaker cable is an award winning ZERO INDUCTANCE speaker cable, available as a pair of factory terminated cables and available in a lavish Mahogany presentation box. **Hi-Fi Plus** "Product of the Year". **Hi-Fi Choice** "Editors Choice".

Product	Sword	Sword	Sword	Sword	Sword	per extra stereo metre
Type	Jumpers 28cm	2x 2m	2x 3m	2x 4m	2x 5m	
SRP	220.00	650.00	850.00	1050.00	1250.00	200.00 *
Notes	Fixed Spades	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	Fixed spades (OR CombiCon to order)	

* Please note: A special order charge MAY apply for longer custom lengths

Ground Separator products

Product	AGS-10k	GSB-TV	GSS-TV	GSS-F	
Type	RCA/Phono	co-ax TV – bent	co-ax TV – straight	F-type (for satellite/DAB)	
SRP	110.00	28.00	28.00	20.00	
Notes	Ground Separator - Analogue Humbuster to remove hum loops when connecting PC's, Mac's, media centres to hi-fi systems	Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc)		Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc) Note: NOT suitable for phantom powered LNB's.	

HDMI accessories

Product	Met-B housing	Met-B housing + braid	SA90-	SA90+	
Type	HDMI	HDMI	HDMI	HDMI	
SRP	7.00	10.00	18.00	18.00	
Notes	Spare "angled" housing for HDMI Met-S cables	Spare "angled" housing for HDMI Met-S cables, plus white braid	Right-angle adaptor (turns cable to the RIGHT if top of HDMI connector faces forward)	Right-angle adaptor (turns cable to the LEFT if top of HDMI connector faces forward)	

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution

UK Suggested Retail Price List - March 2018 v1.1

Speaker Cable Terminations

Product	Terminations Fitted	Packs		Suggested Retail Price (inc VAT)	Notes:
<p>CombiCon connectors feature separate body and connector parts, enabling quick changeover. The CombiCon M6 Banana plug is a rear entry combination banana/BFA connector. CombiCon M6 Spade can be used with binding posts up to 9 sq mm diameter. Both are machined from 24k gold-plated copper. Cable diameters up to 6 sq mm allowed using the CombiCon M6 Body.</p> <p>Alternatively, we now have the CombiCon Crimp Body - the cable is compressed using a crimping tool. The crimp body is made of solid 24K gold-plated copper. The M6 threaded crimp bodies are available for cable sizes 1.6, 2.5, 3.0, 4.0 & 6.0 sq mm. The crimp bodies fit the new M6 version CombiCon Banana/BFA and Spade fittings.</p>					
CombiCon	Banana/BFA (complete)	4pc /pk		40.00 /pk	
	Spade (complete)	4pc /pk		44.00 /pk	
	Kit	4pc /pk		54.00 /pk	Contains: 4 bodies, 4 banana/BFA and 4 spades
	Crimp Body (CB01, 2, 3, 4 or 6mm)	/pc		4.00 / pc	
	Crimp Sleeves (S1-2, S4-6, Red or Black)	/pc		0.75 /pc	
	Banana/BFA (tips only)	50pc /pk		2.50 /pc	Tip only
	Spade (tips only)	50pc /pk		3.50 /pc	Tip only
	Body (only)	100 pc		7.00 /pc	Body only
	S-9 Sleeve	ea		1.00 /pc	Black or Red
	S-15 Sleeve	ea		1.00 /pc	Black
	Assortment	200 pc		9.50 / 10.50 /pr	Contains: 100 bodies, 50 banana/BFA and 50 spades

The gold-plated copper Fork connectors and the larger Fork XL's accept cables up to 10mm diameter.

Fork	Spades	4pc /pk		25.00 /pk	For binding posts up to 5.5mm diameter
Fork XL	Spades	4pc /pk		25.00 /pk	For binding posts up to 6.5mm diameter
Boxcon	Chassis connector	2pc /pk		42.00	A fully insulated chassis mount binding post. For cabinet walls up to 29mm deep.

A range of line level connectors:

ACON	FM/TV Co-Ax connector	ea		8.00	Male, 6mm cable entry
ACON	FM/TV Co-Ax connector	ea		8.00	Female, 6mm cable entry
BNC-6	BNC plug	pr		10.00	6mm cable entry (AnCo)
RCA-3	phono plug	pr		14.00	3mm cable entry
RCA-6	phono plug	pr		16.00	6mm cable entry
PPX	phono plug	pr		26.00	8.5mm cable entry
PPRB	phono plugs	pr		26.00	Bent type
PPSL	phono plug	pr		32.00	Lockable, 7.5mm cable entry
Swift XLR	1x Male/1x Female	pack		32.00	7.5mm cable entry
MP-8	3.5mm stereo mini-plug	ea		10.00	8mm cable entry
DB25M	25 pin D connector	ea		POA	Male, 11mm cable entry (AV6.4)
DB25F	25 pin D connector	ea		POA	Female, 11mm cable entry (AV6.4)
GG45-7	Ethernet jack plug	ea		5.00	For CAT7+ cable
GG45-8	Ethernet jack plug	ea		5.00	For CAT8 cable
DVI-I plug	24+5 pins	ea		18.00	11mm cable entry (HF100/HD5)
DVI-D plug	18+1 pins	ea		18.00	11mm cable entry (HF100/HD5)
Adaptor	HDMI (F) to DVI (M)	ea		POA	Converts HDMI cable to fit DVI socket
Adaptor	DVI (F) to HDMI (M)	ea		POA	Converts DVI-D cable to fit HDMI socket

We have a limited supply of metal body scart plugs, and SVHS plugs (7mm or 11m cable entry) and VGA plugs. POA

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - March 2018 v1.1

Supra Cables and Connectors

Product	Cable Type	Length on reel		Suggested Retail Price /m (inc VAT)	Notes:
Analogue Video Cables					
AnCo	Co-axial, single shield	150m		7.00	Can be used for TV/FM co-ax cable, or as a digital co-ax audio cable or for carrying composite or component video
Trico	Co-axial, double shield	50m		15.00	Co-axial cable can be as a digital co-ax audio cable or for carrying composite or component video
Digital Video Cables					
HD5	digital video cable	50m		11.00	Suitable for making DVI cables "on site"
Audio Cables					
MBS	microphone cable	150m		4.00	Supplied by the reel only
DUAL	audio cable	100m		6.00	Supplied by the reel only
BILINE	audio cable	100m		7.00	
DAC	audio cable	50m		9.00	
EFF-I	audio cable	50m		17.50	Silver plated OFC
Digital Audio Cables					
AnCo	digital audio cable	150m		7.00	Silver plated OFC
Trico	digital audio cable	50m		15.00	Silver plated OFC, better shielding
Network Cables					
CAT8	Ethernet	150m		7.00	Halogen Free
Mains Power Cables					
LoRad 1.5	1.5 sq mm, Ice Blue	100m		12.00	10 Amp capacity
LoRad 2.5	2.5 sq mm	50m		18.00	16 Amp capacity
LoRad 2.5 SPC	2.5 sq mm	50m		25.00	Silver-plated OFC 16 Amp capacity

Some of the above cables can be supplied "off the reel" as required – please call for availability.

See [www . supracables . co . uk](http://www.supracables.co.uk) for more product details.

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: [sales @ wavelength-distribution.com](mailto:sales@wavelength-distribution.com) www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - March 2018 v1.1

S.R.P
(inc. VAT)/£

Bocchino Audio Connectors

The Bocchino Audio connectors are amongst the finest in the world, and are machined from 99.994% High Conductivity Oxygen Free Copper, ensuring the best possible signal transfer characteristic.

Brenda B7/S phono plugs Features: Short version of B7. Single cavity slot for cables, 11mm cable entry diameter, single outer shell design. Silver plated only	109.00 /pair
Brenda B7 phono plugs Features: Twin cavity slots for cables, 11mm cable entry diameter, single outer shell design. Silver plated only	119.00 /pair
Brenda B9 phono plugs Features: Twin cavity slots for cables, 13mm (outer), 11mm (inner) cable entry diameter, Lockable "ClawLock" facility to ensure high connectivity to socket ground. Gold plated only	159.00 /pair
Brenda TopCat TC9 sockets Features: Option of Gold- or Silver-plated phono sockets	109.00 /pair
Brenda TopCat TC11 sockets Features: Option of Gold- or Silver-plated phono sockets	109.00 /pair

See www.wavelength-distribution.com/bocchino/index.html for more details.

Bedini Audio Compact Disc Clarifiers

The Bedini Audio CD Clarifier is one of those tools that, once used, cannot be dispensed with. Treat your CD's, SACD's and DVD's with this device and enjoy greatly improved sound quality and reduced artefacts.

Handheld model Features: 9volt PP3 internal battery (not supplied).	POA /each
Handheld Dual Beam Junior model Features: 9volt external power supply (not supplied).	POA /each
QUAD BEAM (plastic case + lid model) Desktop model – excludes 12V power supply.	200.00 /each
QUAD BEAM (2013 wooden base model) Desktop model – excludes 12V power supply.	240.00 /each
HEX BEAM (2013 wooden base model) Desktop model – excludes 12V power supply.	n/a

See www.wavelength-distribution.com/bedini/index.html for more product details.

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com

Wavelength Distribution UK Suggested Retail Price List - March 2018 v1.1

S.R.P
(inc. VAT)/£

art:one Portable Folding Headphones

Compact and supplied with their own protective carry case, the art:one headphones have been designed to look good, sound good and not induce neck ache with extended listening. Ideal for use "on the go" with portable media players, they are equally at home used with laptops and tablets (if fitted with 3.5mm audio outputs). Foam pads are user replaceable. Fitted with rubberised Y-cable terminated in an angled 3.5mm mini-plug, featuring gold-plated contacts.

art:one 30.00 /pair

Power Wraps RF Suppressors

Power Wraps turn your standard AC power cord into a High End power cable by reducing Radio Frequency Interference (RFI) and allowing you to tune your system. 3 types are available:

All Clear (0.328")	23.99 /pair
Power Wrap (0.375")	23.99 /each
Power Wrap (0.56") (To order only)	POA

See www.power-wrap.co.uk for more product details.

Sonic Design Damping Feet

Sonic Design Damping Feet reduce the amount of vibration that enters or leaves your hi-fi and/or home cinema equipment, thereby isolating the product(s) from it's environment and allowing it to function to it's fullest capability.

CD/DVD Damping Feet Available in weight loading sizes of: 2-5 kg, 5-10 kg and 10-25 kg	11.99 /set of 5
--	-----------------

Standard Centre Channel Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	11.99 /set of 4
--	-----------------

Standard Loudspeaker Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	23.99 /set of 8
---	-----------------

Audiophile Centre Channel Damping Feet Available in weight loading sizes of: 5-200 kg (model specific – front to back weight ratio of each speaker must be specified).	34.99 /set of 4
--	-----------------

Audiophile Loudspeaker Damping Feet Available in weight loading sizes of: 5-200 kg (model specific – front to back weight ratio of each speaker must be specified).	69.99 /set of 8
---	-----------------

See www.sonicdesign.co.uk for more product details.

Distributed in the UK by:
Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA

Email: sales@wavelength-distribution.com www.wavelength-distribution.com