Welcome to our updated Retail Price List.

### SUMMARY:

Our latest Price List will be valid until January 2023.

# All price changes/product additions since our last edition are highlighted in RED

We continue to be upbeat despite the inflationary issues that are affecting everyone. We will continue to invest in products and stock in order to maintain and supply products to our customers as quickly as we can.

> Product Notes: <u>NEW PRODUCT: Supra Sword Interconnect (Rhodium Edition)</u> The well reviewed Sword Interconnect cable is now available fitted with Rhodium plated locking phono plugs.

> > Supra USB Excalibur cables NEW Retail Prices revised as from 1<sup>st</sup> SEPTEMBER 2022

### Supra HDMI AOC Offer

We have a limited number of HDMI AOC cables that support HDMI v2.0 (NOT v2.1) and are suitable for carrying 4K video. The available lengths are 6m, 10m and 12m.

NEW PRODUCTS: HiFi Tuning Mains Fuses NEW C7 "Figure 8" connectors now available. NEW 13 Amp UK Mains Plugs now available. NEW Classic and NEW DIAMOND Fuse Holders now available.

> Supra DC Blocker Still in pre-production

**Special Order Products** 

We keep many "in demand" products in stock – but certain items are only available on a Special Order basis – this will be advised at the time when you order.

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### JenTech Cables and Accessories

### JenTech HIGH SPEED 3D HDMI+Ethernet cable (3D ready, HD4K, 10-48bit color, 10.2Gbps)

The "Economy" Line of High Speed 3D HDMI+Ethernet cables from Jenving Technology - the manufacturers of Supra Cables. JenTech HDMI is a thin and highly flexible cable, produced in a neutral white outer sheathing, ideal for wall fixing. The cable is designed for the latest HDMI standard, HDMI High Speed with Ethernet. HDMI Ethernet Channel enables a fast and bidirectional communication, up to 100Mb/sec. Perfect for all IP-based applications. The Audio Return Channel also permits audio to be returned from the TV's built-in digital tuner - which can send the digital audio to a surround sound system, eliminating the need for a separate audio cable.

Supplied as HDMI <> HDMI connector

Length	1m	1.5m	2m	3m	4m	5m		Only these lengths are available.
SRP	35.00	37.50	40.00	45.00	50.00	55.00	each	

#### Supplied as HDMI <> mini C HDMI connector

Length	1m	2m	3m		Only these lengths are available.
SRP	35.00	40.00	45.00	each	

### JenTech Sky 11 Economy Speaker cables

Multi-stranded copper OFC. Highly suitable for use as a "freebie" cable or for supplying with budget systems. We provide guide retail prices, as most retailers will usually use these as high quality "get you going" cables for inclusion in complete system packages.

Product	Sky 11 1.6mm Black, White or Transparent	Sky 11 2.5mm Black, White or Transparent	Sky 11 4.0mm Black, White or Transparent
SRP (guide only)	2.50	4.00	6.00
Notes	Special order only	Special order only	Special order only

### \*\*NEW\*\*JenTech Skyflex Flame Resistant Halogen Free Speaker cables

Multi-stranded copper OFC. Highly flexible and suitable for various lower end systems or where building regs need to be observed. Twin conductor or bi-wire conductor versions available. Supplied in Black outer insulation only.

Product	Skyflex 2x1.6	Skyflex 4x1.6	Skyflex 2x2.5	Skyflex 4x2.5	Skyflex 2x4	Skyflex 4x4	Skyflex 2x6 / 4x6
SRP (guide only)	4.00	6.50	6.00	9.00	9.00	13.00	11.00 / 18.00
Notes	Twin	Biwire	Twin	Biwire	Twin	Biwire	Special order only

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### **Supra Cables and Connectors**

### Digital Video cables – HDMI, DisplayPort and DVI

### Supra HDMI AOC cable

The Active Optical Cable can carry HDMI v2.1 8K signals up to 100 metres !! Plug & Play – no device drivers ! Spec: \*Proprietary gold-plated shielded metal connector for low noise interference, \*Fibre optic technology in selected conductors for noise immunity. \*Supports resolution Ultra HD 4K 3840x2160 @ 60Hz up to 100 metres. \*Dolby Atmos, True HD, DTS-HD Master Audio, up to 32 audio channels. \*Plug & Play configuration – no drivers or separate power supplies required. \*Thin hi-flex cable, only 4.5 mm in diameter, easy to install. \*A staggering 20 Gbps bandwidth provides for 8K Ultra HD in full speed and colour depth. \*4:4:4 colour. \*HDR support. \*ARC & CEC. \*HDCP 2.2

Length	1m	1.5m	2m	4m	5m	6m	8m	10m	12m
SRP	280.00	285.00	290.00	300.00	305.00	320.00	340.00	350.00	360.00
Length		15m	20m	25m	30m	40m	50m	75m	100m
SRP		375.00	395.00	415.00	435.00	475.00	535.00	655.00	775.00

### Supra UHD8 Digital Video cable for HDMI or DisplayPort

UHD8 and HD5 are available with HDMI or DisplayPort connectors and capable of carrying digital video signals. For HDMI: Adds a data channel to the HDMI cable to enable high-speed bi-directional communication. Network connectivity. - send and receive data via 100 Mb/sec Ethernet, making them instantly ready for any IP-based application. Features: v2.0 approved (see below) Signal Bandwidth: 340 MHz. TMDS Bandwidth: 10.2 Gbit/s. Color Depth: 48 bit/px. 4K x 2K Resolution support: Enables video resolutions far beyond 1080p. Deep Color, x.v.Color. Auto Lip Sync. Dolby TrueHD, DT-HD Master Audio. 3D over HDMI. Audio Return Channel. Ethernet Channel. Note: UHD8 cables support 8K resolution in lengths 0.5m>5m. HD5 cables support 4k in lengths 5m up to 8m 4096 x 2160 @ 60Hz, and in 10m to 15m lengths 4096 x 2160 @ 24/30Hz.

The Met-S is factory-fitted with 2x straight "removable" housings, making it suitable for installation where the cable needs to be fed through a conduit, as the outer shell can be unscrewed. The previously supplied "angled" housing plus draw-through braid are now optional extras. Please note: Met-S cables up to 5m length use the NEW UHD8 cable (with smaller outside diameter). HD5 cables over 5m in length use the standard HD5 cable (9.5mm outside diameter).

Supra UHD8 – fitted with DisplayPort connectors and supports 8k resolution (8k up to 3m, 4k for 4m and 5m)

Length	0.5m	1m	1.5m	2m	3m	4m	5m
SRP		66.00	71.50	77.00	88.00	99.00	110.00

#### Supra UHD8 Met-S– supports HDMI v2.1 and 8k resolution for both HDMI

Length	0.5m	1m	1.5m	2m	3m	4m	5m
SRP	60.00	65.00	70.00	75.00	80.00	95.00	110.00

Supra HD5 Met-S cables – supports HDMI v2.0 and up to 4k resolution in lengths up to 15m (we can quote for 20m, 25m and 30m lengths)

Length	6m	8m	10m	12m	15m
SRP	125.00	155.00	185.00	215.00	245.00

#### Supra HD5 Met-S/B HIGH SPEED HDMI+Ethernet cable (whilst stocks last)

The Met-S/B is factory-fitted with 2x straight removable housings and supplied with extra 1x "bent" housing plus draw-through braid.

Length	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m
SRP	70.00	80.00	90.00	100.00	110.00	120.00	140.00		180.00	210.00

#### Supra HD5 STANDARD HIGH SPEED 3D HDMI+Ethernet cable (whilst stocks last)

The HD5	cable is av	vailable u	ising	standa	rd non-d	letachable I	HDMI conr	nectors, v	whilst still co	omplying v	with the Hig	gh Speed	spec.

Length	0.5m	1m	1.5m	2m	3m	4m	5m	6m	8m	10m	12m
SRP	45.00				70.00	80.00	90.00	100.00	120.00	140.00	160.00

The above items are available "whilst stocks last" as they will be phased out, and replaced with the Met-S versions

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### **Digital Audio cables**

### **USB** Cables

### What HiFi "USB Cable Of The Year" (2012) and What Hi-Fi "5\*" Winner (Nov 2012)

Featuring: Flexible cable with dual screens for best RF pick-up protection. One twisted pair for data and another twisted pair for power with individual screens for minimal interference. Low capacitance and efficient noise rejection maintain signal integrity especially over long runs. PE-insulated wires with 90 ohm impedance design, 24K gold plated/shielded connectors. High speed USB v2.0 certified. Bandwidth of 480 Mbits/s (60 MB/s) allows USB 2.0 devices to have smaller buffers even at high data rates. (Currently USB 3.0 is not used for USB Audio and hence this cable is more than sufficient for current needs).

#### Fitted with standard A to B connectors in all lengths shown

Fitted with standard A to **micro**-USB B OR **mini**-USB B connectors in 1m, 2m and 3m lengths ONLY – for use with some DAC's/portable products. Or fitted with standard MALE A to standard FEMALE A connectors in 1m and 2m lengths ONLY – these can be best thought of as "extenders", which can increase the length of a previously purchased cable by a desired amount.

Length	0.7m	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m
SRP	38.00	40.00	49.00	58.00	67.00	76.00	85.00	103.00	121.00	139.00	166.00

#### \*\*NEW \*\* USB Excalibur Cables – High-End version of the Award winning Supra USB cable.

Featuring: Transparent outer insulation surrounding dual screens for best RF pick-up protection. One twisted pair of **Silver-plated OFC conductors for data and TWO twisted pairs of Tin-plated OFC, for high power connection** and using individual screens for minimal interference. Cable just 7mm diameter. Low capacitance and efficient noise rejection maintain signal integrity especially over long runs PE-insulated wires with 90 ohm impedance design, 24K gold plated contacts with REMOVABLE metal-body and shielded connectors. High speed USB v2.0 certified. The bandwidth of 480 Mbits/s (60 MB/s) allows USB 2.0 devices to have smaller buffers even at high data rates. Fitted with standard A to B connectors only (at present)

Length	1m	2m	3m	4m	5m	
SRP	119.00	129.00	139.00	149.00	159.00	
NOTE T			A C EDON	A 1st CED	Γ 2022 _	

## NOTE: THESE PRICES CHANGED AS FROM 1<sup>st</sup> SEPT 2022 – AS PREVIOUSLY ADVISED - THE PREVIOUS PRICES WERE FOR AN INTRODUCTORY PERIOD ONLY, UNTIL 31<sup>ST</sup> AUGUST 2022

### **CAT8 Network cables**

This is an improved and more flexible version of Supra Cat7+Ethernet cable, fitted with high grade RJ45-8 8P/8C shielded connectors, plug compatible with existing RJ45 connectors. Capable of 40GBASE-T connectivity, the very wide bandwidth (2000 MHz) capability makes this cable highly suitable for wired home media systems, where high resolution audio and/or video is streamed from local or remote sources. This S/STP cable uses Flame Retardant Halogen Free "PE" outer insulation, making it compliant with building regs. CAT8 cables, longer than 20m are also available – please enquire.

Length	0.5m	1m	2m	3m	4m	5m	6m	8m	10m	12m	15m	20m
SRP	39.00	43.00	51.00	59.00	67.00	75.00	83.00	99.00	115.00	131.00	155.00	195.00

### ZAC Fibre Optic cables

Zero Attenuation Concept fibre optic cables are available in a number of lengths, perfect for CD, DVD and LaserDisc players. **ZAC** are fitted with high quality metal body TosLink connectors. Hi-Fi Choice Bronze award winner.

<b>ZAC</b> prices for: IosLink to IosLink, mini-IosLink to IosLink, mini-IosLink to mini-IosLink										
Length	15cm	30cm	1m	2m	4m	6m	8m	10m	15m	20m
SRP	42.00	43.00	47.00	57.00	77.00	97.00	117.00	137.00	177.00	217.00

Please note: Mini-TosLink to Toslink only available in lengths up to 4m, mini-TosLink to mini-TosLink only in lengths up to 1m. 15cm and 30cm lengths are supplied "bulk packed", with no "branding" on the packing.

### **DAC-XLR GOLD cables**

For use as a balanced digital interconnect terminated from XLR to XLR AES/EBU - for digital audio use, 110 ohm **DAC-XLR GOLD** prices are for single male XLR to single female XLR. Other lengths to order.

Length	1m	2m	per extra metre
SRP	58.00	67.00	9.00

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### Analogue Co-Ax Digital / Composite Video cables

Supra manufacture a range of single, dual, and multiple core analogue co-axial cables, suitable for a wide range of uses, carrying composite video, s-video, component video, RGB, as well as digital audio, TV, FM and data control lines. Connectors that can be fitted include phono, BNC, scart, DVI, TV co-ax.

**AnCo** is Supra's entry level co-ax cable, featuring a silver-plated OFC conductor core and can be supplied with phono, BNC, and TV/FM co-ax connectors. Prices shown below are for: phono to phono, TV co-ax (M-F) or TV co-ax (M-M)

Length	1m	2m	3m	per m
SRP	45.00	53.00	61.00	8.00

**Trico** is Supra's multi-shielded silver plated co-ax cable, suitable for high end installations, where quality counts. Trico can also be used as a digital audio cable. Trico is a What Hi-Fi 5\* winner. Prices shown below are for: phono to phono, phono to BNC, phono to 3.5mm, phono to scart, BNC to BNC, BNC to phono. Other lengths to order.

Length	1m	2m	4m	•	per m	]
SRP	70.00	88.00	124.00		18.00	

Please note that Supra continues to supply various other cables as follows:

AV2 S-video cable (1m and 2m lengths) AV3 component video cable (1m up to 10m) AV6 6-way audio/video cable (1m up to 5m) FS fully wired scart cable (0.6m up to 4m)

As such, if you have a requirement for a specific length or termination of the above, then please enquire so that we can provide you with a quotation and lead time.

### Analogue Audio cables

**DUAL** is an entry-level interconnect featuring a PE insulation and low capacitance, making it a good "all-rounder" to suit budget and mid-priced systems. What Hi-Fi 5\* winner. Dual prices for 2 phono to 2 phono. Other lengths to order.

Length	0.5m	1m	2m	5m	
SRP	68.00	71.00	77.00	95.00	

#### DAC cable is a high quality OFC cable using PE foam insulation. DAC-X prices for 2 phono to 2 phono

Length	1m	2m	per m	
SRP	102.00	120.00	18.00	

**PHONO** cable is a high quality OFC cable for use between turntables and preamps/step up devices – a built-in ground lead helps prevent hum, where required. 2 phono to 2 phono, plus spade to spade (ground). Other lengths to order.

Length	1m	1.5m	2m	per m
SRP	106.00	114.00	122.00	16.00

**EFF-I** is our highly regarded silver-plated OFC cable available in four different terminated versions: EFF-IX, EFF-ISL, EFF-IRB and EFF-IXLR, depending on the type of connectors fitted. **EFF-IX** prices for 2 phono to 2 phono - **What Hi-Fi 5\* winner** 

Length	0.7	75m	1m	1.5m	2m	per m
SRP	112	2.00	121.00	139.00	157.00	36.00

EFF-ISL prices for 2 phono to 2 phono (locking types) - Hi-Fi Choice "Best Buy"

EFF-IXLR prices for 2 XLR to 2 XLR - Swift short body XLR plugs. Other lengths to order.

Length	0.75m	1m	1.5m	2m	 per m	]
SRP	124.00	133.00	151.00	169.00	36.00	

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

**Sword ISL & IXLR** are award winning high-end audio interconnects, designed to celebrate Supra's 30th Anniversary of audio cable production. It is a ZERO INDUCTANCE 2-channel cable designed to complement the award winning Sword Speaker cables. Available as a pair of factory terminated cables, fitted with either locking phono or XLR connectors and supplied in a lavish 30th Anniversary Mahogany presentation box. **Hi-Fi Choice "Editors Choice"**. Other lengths to order.

Product	Sword-ISL	Sword-ISL	Sword-ISL	Sword-ISL	per extra stereo
	2 phono to 2	2 phono to 2	2 phono to 2	RHODIUM	metre
	phono	phono	phono	2 phono to 2	
				phono	
Туре	0.8m	1.0m	1.5m	1.0m	
SRP	550.00	575.00	730.00 (inc £30	750.00	155.00 (inc £30
			special order fee)		special order fee)
Product	Sword-IXLR	Sword-IXLR	Sword-IXLR		per extra stereo
	2 XLR to 2 XLR	2 XLR to 2 XLR	2 XLR to 2 XLR		metre
Туре	0.8m	1.0m	1.5m		
SRP	600.00	625.00	780.00 (inc £30		155.00 (inc £30
			special order fee)		special order fee)

### Subwoofer cables

**Y-Link** and **SubLink** are a range of cables purpose designed for use with active subwoofers comprising phono to phono and phono to 2 phono cables. SubLink cables are also available as phono<>XLR and XLR<>XLR - POA

Y-Link "splitter" 1 inline phono socket <>2 phono plugs

Designed as a splitter, featuring a single Female in-line RCA socket going to 2x Male RCA plugs. Also available as a single Male RCA plug and 2x Female in-line RCA sockets. Available in Ice Blue only.

plug		
Length	25cm	
SRP	58.00	

Y-Link ph	Y-Link phono to 2 phono cables - cables - Please specify which COLOUR cables you require - Ice Blue or White sheathing									
Length	2m	4m	6m	8m	10m	12m	15m	Ice Blue is supplied as standard		
SRP	70.00	82.00	94.00	106.00	118.00	130.00	148.00	£6/m		

Sublink fo	Sublink for phono to phono cables – Please specify which COLOUR cables you require - Ice Blue or White sheathing									
Length	Length 2m 4m 6m 8m 10m 12m 15m Ice Blue is supplied as standard									
SRP	44.00	54.00	64.00	74.00	84.00	94.00	109.00	£5/m		

Add SRP £13.00 for Phono/RCA to XLR version - please state if XLR is Male or Female and which end)

#### Cables for Portable devices/Computer Audio etc

**MP-Cable** An analogue interconnect cable for iPod / iPhone / iPad / MP3 / Laptops / Car Audio. Equipped with a slim & goldplated mini plug. The cable is fully screened, which minimises the interference from electric alternating fields. For those who want great sound from your mobile devices. Only these lengths are available.

#### 3.5mm to 3.5mm stereo plug

Length	0.5m	0.8m	1.2m	
SRP	18.00	19.00	20.00	

3.5mm st	3.5mm stereo plug to 2RCA plugs							
Length 0.5m 1.0 2.0m								
SRP	26.00	28.00	30.00					

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### LORAD MK 11 MAINS CABLES

**LoRad** is a worldwide patented, CE-approved audio grade shielded mains cable, available "off the reel", using multi-stranded tinplated OFC conductors. The cable is shielded via a carbon/mylar screen, which is in "touching" contact with the drain wire. As such, the drain wire MUST be connected to the EARTH terminal at EACH END of the cable. Standard insulation colours are used: Brown (L), Blue (N) and Green/Yellow (E).

LoRad 1.5 is rated at up to 10 Amps, making it suitable for virtually all Home Consumer kit, excepting high output power amps or AV receivers. LoRad 2.5 is rated at up to 16 Amps and hence can be used both for big "monster" amplifiers, as well as for use with distribution blocks or as a dedicated spur from fuse box/distribution board to wall socket(s).

Please note: We DO NOT RECOMMEND that LoRad cable is laid inside walls or under floorboards, where it's presence CANNOT easily be detected by conventional mains cable "finders" (unless perhaps photo evidence is provided to ensure that owners KNOW where the cable has been installed).

Product	LoRad 1.5 Mk 11 Ice Blue	LoRad 2.5 Mk 11 Ice Blue	LoRad 2.5 Mk 11 SPC Anthracite
SRP	12.00	18.00	25.00
Notes	10 Amp capacity	16 Amp capacity	16 Amp capacity

#### Mains accessories – IEC connectors

Product	LoRad SWF-10	LoRad SWF-10	LoRad SWF-16	LoRad SWF-16
Туре	IEC Connector	IEC Connector	IEC Connector	IEC Connector
SRP	16.00	18.00	16.00	18.00
Notes	Gold-plated	Gold-plated	Gold-plated	Gold-plated
	contacts - Bulk	contacts - Blister	contacts - Bulk-	contacts - Blister
	packed	packed	packed	packed

Mains accessories - UK, EU, US plugs and AC sensor

Product	BS-UK	BS-UK	BS-UK	BS-UK	BS-UK
Туре	UK 13Amp UK 13An		UK 13Amp	UK 13Amp	UK 13Amp plug
	plug	plug	plug	plug	_
SRP	12.00	22.00	46.00	46.00	51.00
Notes	Gold-plated contacts - Bulk-packed	Features Gold-plated 13 Amp Bussman fuse	Features HFT 10 Amp Gold 2 fuse	Features HFT 13 Amp Gold 2 fuse	Features HFT 13 Amp Supreme 3 fuse

Product	LoRad SW- EU	LoRad SW- EU	LoRad SW-EU/A	LoRad SW- US	AC Sensor
Туре	Schuko Connector	Schuko Connector	Angled Schuko Connector	US Connector	Switchable sensitivity 110-240V
SRP	18.00	20.00	18.00	18.00	28.00
Notes	Gold-plated contacts - Bulk-packed	Gold-plated contacts - Blister packed	Gold- plated contacts - Bulk- packed	Gold-plated contacts - Bulk-packed	Detects hidden mains cables. Beep tone

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

**LoRad** is a range of affordable, CE-approved shielded mains power cables available factory-terminated with various approved mains connectors, or available unterminated on reels, to enable either DIY assembly (with any connector the customer chooses), or for use in re-wiring electrical spurs from consumer units, to dedicated sockets for hi-fi and/or AV systems.

#### **UK versions:**

The LoRad terminated cables combine a factory-terminated LoRad Ice Blue cable, a 13A UK mains plug (featuring gold-plated pins) and the Supra SWF-10 IEC connector. LoRad 1.5 is rated at 10 Amps and LoRad 2.5 is rated at 16 Amps.

**Please note:** We can OPTIONALLY supply the following factory-terminated UK mains cables fitted with either a Bussman Gold-Plated or a HiFi Tuning mains fuse inside the Supra UK mains plug. For this service, please add the following amount per EACH cable. Please note that for the time being, such cables will need to be adapted on an "as needed" basis and hence this might slightly delay shipping your order (until we can gauge what demand there will be for this service and hence we can then start introducing these as "stock items" !!).

#### LoRad 1.5 Mk11 13A UK to SWF-10 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m	Other cable	ADD for	ADD for	ADD for
_					lengths add	Bussmann	Gold-2	Supreme 3
					per m	mains fuse	mains fuse	mains fuse
SRP	67.00	73.00	79.00	103.00	12.00	10.00	46.00	51.00

#### LoRad 2.5 Mk11 13A UK to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m	Other cable lengths add	ADD for Bussmann	ADD for Gold-2	ADD for Supreme 3
					per m	mains fuse	mains fuse	mains fuse
SRP	73.00	82.00	91.00	127.00	18.00	10.00	46.00	51.00

#### LoRad 2.5 MK 11 SILVER 13A UK to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m	Other cable	ADD for	ADD for	ADD for
_					lengths add	Bussmann	Gold-2	Supreme 3
					per m	mains fuse	mains fuse	mains fuse
SRP	80.00	92.50	105.00	155.00	25.00	10.00	46.00	51.00

LoRad 2.5 kit combines a pre-prepared length of LoRad 2.5 with 13A UK mains plug and SWF-10 IEC connector supplied separately.

Length	1.0	1.5m	2m	4m	Other cable lengths add
					per m
SRP	56.00		74.00	110.00	18.00

#### **EUROPEAN** versions:

LoRad 1.5 and LoRad 2.5 are also available with Supra's own Schuko connectors and a choice of either SWF-10 or SWF-16 IEC connectors. Angled Schuko connectors are also available to order.

LoRad 1	.5 Schuke	o (or Ang	led Schuk	(o) to SWF	-10 IEC	factory	termir	nated	cable	prices.
-	-		_	-			-			

Length	1m	1.5m	2m	4m	Other lengths add per m
SRP	73.00	79.00	85.00	109.00	12.00

#### LoRad 2.5 Schuko (or Angled Schuko) to SWF-10 IEC OR SWF-16 IEC factory terminated cable prices

Length	1m	1.5m	2m	4m	Other lengths add per m
SRP	79.00	88.00	97.00	133.00	18.00

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Supra LoRad Multi-way Mains Distribution Blocks feature an all-aluminium shielded chassis, upon the top of which are inset numerous mains sockets. We offer TWO standard versions: the first has NO FILTERING AT ALL and the second includes Non-Intrusive Filtering, which works in PARALLEL to the incoming mains supply and hence should have little if any effect on the sound quality. The /SP versions of the block features the Tommy Jenving designed 3-way "Surge Protection System" as well as Non-Intrusive Filtering, ensuring maximum reduction in spurious mains interference.

For the UK, Mains input is by way of a 3 pin High Current (16Amp) IEC chassis mount connector. NO INPUT CABLE is supplied with these items, leaving customers with a free choice as to the length of cable required to run from the wall socket to the mains block.

Please note: These blocks are manufactured "in house" in the Supra factory in Sweden. We can therefore entertain special orders, using alternative outlet sockets (such as EU, Australian, Belgian, Swiss, US) etc as well as specific internal wiring arrangements. Please contact us for details.

### STANDARD EDITION

UK Mains Distribution Blocks - 4-way up to 11-way - UNFILTERED - supplied WITHOUT cables (for use with "sensitive" amplifier products).

Product	MD04-BS-16 Mk	MD06-BS-16 Mk	MD07-BS-16 Mk	MD09-BS-16 Mk	MD11-BS-16 Mk
	111	111	111	111	111
Туре	4x UK sockets	6x UK sockets	7x UK sockets	9x UK sockets	11x UK sockets
SRP	180.00	220.00	240.00	280.00	320.00
Notes	4 way	6 way	7 way	9 way	11 way
	NO filtering				
	16A IEC inlet				

#### UK Mains Distribution Blocks - 4-way up to 11-way - Non-Intrusive Filtered - supplied WITHOUT cables

Product	MD04-BS/NIF-16	MD06-BS/NIF-16	MD07-BS/NIF-16	MD09-BS/NIF-16	MD11-BS/NIF-16
	Mk 111				
Туре	4x UK sockets	6x UK sockets	7x UK sockets	9x UK sockets	11x UK sockets
SRP	180.00	220.00	240.00	280.00	320.00
Notes	4 way	6 way	7 way	9 way	11 way
	NIF filters only				
	16A IEC inlet				

### UK Mains Distribution Blocks - 2-way up to 10-way - Non-Intrusive Filtered + Surge Protected - supplied WITHOUT cables

Product	MD02-BS/SP-16	MD04-BS/SP-16	MD06-BS/SP-16	MD08-BS/SP-16	MD10-BS/SP-16
	Mk 111	Mk 111	Mk 111	Mk 111	Mk 111
Туре	2x UK sockets	4x UK sockets	6x UK sockets	8x UK sockets	10x UK sockets
SRP	190.00	230.00	270.00	310.00	350.00
Notes	2 way	4 way	6 way	8 way	10 way
	Surge-Protection	Surge-Protection	Surge-Protection	Surge-Protection	Surge-Protection
	built-in	built-in	built-in	built-in	built-in
	16A IEC inlet	16A IEC inlet	16A IEC inlet	16A IEC inlet	16A IEC inlet
Note: Socket 1 o	n MD02 MD04 & MD06	and Sockets 1 and	2 on MD08 to MD10 :	are NOT Filtered but	ARE Surge Protected

ote: Socket 1 on MD02, MD04 & MD06 and Sockets 1 and 2 on MD08 to MD10 are NOT Filtered but ARE Surge Protected

### SILVER EDITION UK MAINS DISTRIBUTION BLOCKS

We are STILL awaiting BS approval on the SILVER EDITION UK Mains Blocks – so this is on hold for now.

The main differences between these and the STANDARD edition are:

1) Internal wiring uses silver-plated copper conductors between inlet socket then looped to each outlet in turn.

2) Externally, the chassis is finished in BLACK, rather than the silver.

3) Pricing is yet to be confirmed, but there is likely to be an approx £50-£70 (@SRP, inc VAT) PREMIUM for the SILVER **EDITION versions.** 

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA **Office Contact: Tim O'Malley**

### **Supra Cables and Connectors**

### **DC Blocker**

Supra have designed a compact DC Blocker, featuring a 16 Amp inlet on the supply side and a single 13 Amp UK socket on the output side. The unit is designed to prevent any DC voltages up to approx 3.6V from entering any connected equipment and it is rated up to 13 Amps. (Delayed).

#### DC Blocker - supplied WITHOUT cables or for limited time with a 1m or 2m LoRad 2.5 cable if bought together.

Product	LoRad MD01-DC- -BS	LoRad MD01-DC- -BS	LoRad MD01-DC- -BS	Versions for other countries also available
Туре	1x UK socket	1x UK socket	1x UK socket	EU, BE, CH, US, AUS
SRP	POA	POA	POA	POA
Notes	1 way 16A IEC	1 way 16A IEC	1 way 16A IEC	
	inlet	inlet + LoRad 2.5	inlet + LoRad 2.5	
		1m cable	2m cable	

### **European Editions of the Supra Mains Distribution Blocks**

### European Mains Distribution Blocks - 2, 3, 4 and 6-way - Filtered (NIF) only - supplied WITHOUT cables

Product	LoRad MD02-	LoRad MD03-	LoRad MD04-	LoRad MD06-	LoRad MD06-
	EU/NIF Mk 111				
	UN-SWITCHED	UN-SWITCHED	UN-SWITCHED	UN-SWITCHED	SWITCHED
Туре	2x Schuko	3x Schuko	4x Schuko	6x Schuko	6x Schuko
	sockets	sockets	sockets	sockets	sockets
SRP	140.00	150.00	160.00	200.00	200.00
Notes	2 way	3 way	4 way	6 way	6 way
	NIF filters only				
	10A IEC inlet	10A IEC inlet	10A IEC inlet	10A IEC inlet	SWITCHED
					10A IEC inlet

Product	ns Distribution Blocks – 2 LoRad MD02- EU/SP Mk 111	LoRad MD03- EU/SP Mk 111	LoRad MD04- EU/SP Mk 111	LoRad MD06- EU/SP Mk 111	LoRad MD06- EU/SP Mk 111
	UN-SWITCHED	UN-SWITCHED	UN-SWITCHED	UN-SWITCHED	SWITCHED
Туре	2x Schuko sockets	3x Schuko sockets	4x Schuko sockets	6x Schuko sockets	6x Schuko sockets
SRP	190.00	200.00	210.00	250.00	250.00
Notes	2 way Surge-Protection built-in 10A IEC inlet	3 way Surge-Protection built-in 10A IEC inlet	4 way Surge-Protection built-in 10A IEC inlet	6 way Surge-Protection built-in 10A IEC inlet	6 way Surge-Protection built-in SWITCHED 10A IEC inlet

### European Mains Distribution Blocks - 8, 10 and 15-way - NIF + Surge Protection built in - supplied WITHOUT cables

Product	LoRad MD08-	LoRad MD10-	LoRad MD15-	Versions for other countries
	EU/SP Mk 111	EU/SP Mk 111	EU/SP Mk 111	also available
	UN-SWITCHED	UN-SWITCHED	UN-SWITCHED	
Туре	8x Schuko	10x Schuko	15x Schuko	BE, CH, US, AUS
	sockets	sockets	sockets	
SRP	290.00	330.00	430.00	POA
Notes	8 way	10 way	15 way	
	Surge-Protection	Surge-Protection	Surge-Protection	
	built-in	built-in	built-in	
	16A IEC inlet	16A IEC inlet	16A IEC inlet	

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### **Supra Cables and Connectors**

**Flat 1.6** is a super flat speaker cable, only 1.95mm thick. Ideal for unobtrusive wiring on wall or under carpet. Can be taped to the wall with Supra's double-sided tape. The conductors consist of a compressed tin-plated OFC braid. The special production process makes the cable both super flat and highly flexible. The tin also contributes to a better sound quality by minimising the skin-effect and making fewer "current jumps" between the wire surfaces. One set of 10m Supra Cable Mounting Tape MT9 is included in cable carton, when a full reel is purchased.

Product	Flat 1.6mm	MT6 mounting tape	MT9 mounting tape	
SRP (per m)	4.50	7.00	8.50	
Notes	White only			

**Classic** cables are made from multi-stranded >5N purity Tin-plated Oxygen Free Copper. An ion-stable PVC outer jacket minimises corrosion whilst remaining extremely flexible. Ideal for longer runs as cable resistance is amongst the lowest in its class. The Classic 1.6HT, 2.5HT and 4.0HT versions use *Halogen Free insulation*, making it flame-proof and highly suitable for multi-room installation. **Please specify which COLOUR cables you require -either Ice Blue or White sheathing is now available.** 

Product	1.6HT	2.5T	2.5HT	4.0T	4.0HT	6.0T
SRP (per m)	3.50	4.50	5.00	7.50	8.00	10.50
Notes	Ice Blue	Ice Blue				
	Halogen	or	Halogen	or	Halogen Free	
	Free	White	Free	White	_	

**Rondo 2x2.5T** is the single wired version of the popular Rondo 4x2.5, and is suitable for wiring budget or mid-range hi-fi and AV systems using high quality Tin-plated OFC conductors, in a single robust outer jacket.

Product	Rondo 2x2.5T	
SRP (per m)	8.00	
Notes	Ice Blue or Anthracite	

Rondo 4x1.6/HT, 4x2.5T and Rondo 4x4T are for bi-wiring a wide range of low, medium or high power systems (based on cable thickness), and combine the strengths of Supra's Tin-plated OFC cables, in a single robust outer jacket.

Product	Rondo 4x1.6/HT	Rondo 4x2.5T	Rondo 4x4T
SRP (per m)	7.50	11.50	16.00
Notes	Ice Blue	Ice Blue	Ice Blue
		or Anthracite What Hi-Fi "Best Buy" What Hi-Fi 5* winner	or Anthracite

### Please note: All the above cables can be bought in shorter lengths "off the drum".

Linc Series is a shielded speaker cable, designed to minimise the effects of external interference on the sound quality, as well as preventing electro-magnetic radiation from the speaker cable affecting low level cables, close to the amplifier.

Product	Linc 2x2.5	Linc 2x4.0	
SRP (per m)	8.00	10.00	
Notes	Ice Blue	Ice Blue	
	Special order only	Special order only	

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

**Ply Series** is a low resistance, multi-stranded cable using a proprietary Tin-Plated Oxygen Free Copper mixture, of square section and low inductance. A shielded version of Ply 3.4 is now available, called the Ply 3.4/S. The new version uses three distinct Supra technologies tin-plating, RF shielding and low inductance. **Please specify which COLOUR cables you require -either Ice Blue or White sheathing is now available.** 

Product	Ply 2.0	Ply 3.4	Ply 3.4/W	Ply 3.4/S
SRP (per m)	8.50	11.00	10.00	13.50
Notes	Ice Blue	Ice Blue	Ice Blue only	Ice Blue only
	or	or	Wider, lower inductance	Shielded version of Ply 3.4
	White	White	version of Ply 3.4	Hi-Fi Choice "Recommended"
		Hi-Fi Choice	(while stocks last)	
		"Recommended"		

**Quadrax** is a 4-core speaker cable, utilizing PP for its conductor insulation. It comprises 4x 2 sq mm braided, tin-plated OFC inner cores, which can be terminated in one of three ways: "Shotgun" (2-2), Bi-wire (2-4) or Bi-amp (4-4) versions.

**XL Annorum** is a 4-core speaker cable, utilizing PP for its conductor insulation. It comprises 4x 1.6 sq mm braided, OFC copper inner cores, which can be terminated in one of three ways: "Shotgun" (2-2), Bi-wire (2-4) or Bi-amp (4-4) versions.

Product	Quadrax 4x2.0 (Ice Blue)	Quadrax 4x2.0 (Ice Blue)	XL Annorum 4x1.6 (Ice Blue)	XL Annorum 4x1.6 (Ice Blue)
SRP (per m)	22.00	22.00	50.00	50.00
Notes				

Please note: All the above cables can be bought in shorter lengths "off the drum".

### Factory-packed UNTERMINATED Speaker Cables

We offer the following sets of pre-packed cables in set lengths – note this length shown is the TOTAL length of the cable in the pack and the sets are not supplied as 2 cut pieces:

Product	Tota I Ieng th	Classic 2.5 (Ice Blue)	Classic 4.0 (Ice Blue)	Classic 6.0 (Ice Blue)	Rondo 2x2.5T (Ice Blue or Anthracite Grey)
SRP	5m	POA	POA	POA	POA
SRP	10m				
SRP	20m			Х	Х
				Х	X

Product		Ply 2.0 (Ice Blue or White)	Ply 3.4 (Ice Blue or White)	Ply 3.4/W (Ice Blue)	Ply 3.4/S (Ice Blue)
SRP	5m	POA	POA	POA	POA
SRP	10m				

Product		Rondo 4x1.6HT Biwire (Ice Blue)	Rondo 4x2.5 Biwire (Ice Blue or Anthracite Grey)	Rondo 4x4 Biwire (Ice Blue or Anthracite Grey)	
SRP	5m	POA	POA	POA	
SRP	10m				

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### Factory terminated speaker cables

Product	Ply 2.0 (Ice Blue)	Ply 2.0 (Ice Blue)	Ply 2.0 (Ice Blue)	
Туре	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	160.00	177.00	194.00	16.00
Product	Ply 3.4 (Ice Blue)	Ply 3.4 (Ice Blue)	Ply 3.4 (Ice Blue)	
Туре	2x 2m	2x 3m	2x 4m	per extra stereo metre
SRP	170.00	192.00	214.00	22.00
Product	Ply 3.4/W (Ice Blue)	Ply 3.4/W (Ice Blue)	Ply 3.4/W (Ice Blue)	
Product Type	Ply 3.4/W (Ice Blue) 2x 2m	Ply 3.4/W (Ice Blue) 2x 3m	Ply 3.4/W (Ice Blue) 2x 4m	per extra stereo metre
Product Type SRP		, , ,	,	per extra stereo metre 20.00
Туре	2x 2m	2x 3m	2x 4m	
<b>Type</b> SRP	2x 2m	2x 3m	2x 4m	
Туре	<b>2x 2m</b> 150.00	<b>2x 3m</b> 170.00	<b>2x 4m</b> 190.00	

**Quadrax** loudspeaker cable is the NEW Mid/High End speaker cable from Supra, but at an affordable price. Available "off the reel" or in factory terminated pairs, and supplied with CombiCon Crimp Banana/BFA and spade connectors, this new cable is available in "shotgun", bi-wire or bi-amp and features: 4x 2 sq mm tin-plated OFC conductors in "STAR-QUAD" configuration, PP insulation, short pitch twisting for low inductance.

Product	Quadrax "shotgun" (2-2)	Quadrax "shotgun" (2-2)	Quadrax "shotgun" (2-2)	per extra stereo metre
Туре	2x 2m	2x 3m	2x 4m	
SRP	280.00	324.00	368.00	44.00

Product	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	Quadrax bi-wire (2-4)	per extra stereo metre
Туре	2x 2m	2x 3m	2x 4m	
SRP	315.00	359.00	438.00	44.00

Product	Quadrax	Quadrax	Quadrax	per extra stereo metre
Time	bi-amp (4-4)	bi-amp (4-4)	bi-amp (4-4)	
Туре	2x 2m	2x 3m	2x 4m	44.00
SRP	350.00	394.00	438.00	44.00

**XL Annorum** loudspeaker cable is the 40<sup>th</sup> Anniversary Speaker Cable, designed in conjunction with the designer of QLN Loudspeakers. Supplied initially in factory terminated pairs, and supplied with CombiCon Crimp Banana/BFA and spade connectors, this new cable is available in "shotgun", bi-wire or bi-amp and features: 4x 1.6 sq mm tin-plated OFC conductors in "STAR-QUAD" configuration, PP insulation, short pitch twisting for low inductance.

Product	XL "shotgun" (2-2)	XL "shotgun" (2-2)	XL "shotgun" (2-2)	per extra stereo metre
Туре	2x 2m	2x 3m	2x 4m	
SRP	380.00	480.00	580.00	100.00
<b>D</b>				
Product	XL bi-wire (2-4)	XL bi-wire (2-4)	XL bi-wire (2-4)	per extra stereo metre
Туре	2x 2m	2x 3m	2x 4m	
SRP	420.00	520.00	620.00	100.00
Product	XL bi-amp (4-4)	XL bi-amp (4-4)	XL bi-amp (4-4)	per extra stereo metre
Туре	2x 2m	2x 3m	2x 4m	
SRP	460.00	560.00	660.00	100.00

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### **Supra Cables and Connectors**

Sword loudspeaker cable is an award winning ZERO INDUCTANCE speaker cable, available as a pair of factory terminated cables (Note: The original Mahogany presentation box is now discontinued). Hi-Fi Plus "Product of the Year". Hi-Fi Choice "Editors Choice".

Product	Sword	Sword	Sword	Sword	Sword	per extra stereo metre
Туре	Jumpers 28cm	2x 2m	2x 3m	2x 4m	2x 5m	
SRP	260.00	690.00	930.00	1170.00	1410.00	240.00
Notes	Fixed Spades	CombiCon Spade/Banana/ BFA	CombiCon Spade/Banana/BF A	CombiCon Spade/Banana/ BFA	CombiCon Spade/Banana/ BFA	

Sword Excalibur is a shielded version of the original Sword cable featuring a transparent outer insulation, and featuring Rhodium-plated CombiCon connectors (both Spade and Banana/BFA types are included with each set). A detachable ground wire is fitted at the amplifier end to ensure correct operation of the shielding.

Product	Excalibur	Excalibur	Excalibur	Excalibur	Excalibur	per extra stereo metre
Туре	Jumpers 25cm	2x 2m	2x 3m	2x 4m	2x 5m	
SRP	420.00	1300.00	1600.00	1900.00	2200.00	300.00
Notes	CombiCon	CombiCon	CombiCon	CombiCon	CombiCon	
	Spade/Banana	Spade/Banana/	Spade/Banana/BF	Spade/Banana/	Spade/Banana/	
	/BFA	BFA	A	BFA	BFA	

\*\* Please note: A special order charge MAY apply for longer custom lengths

### **Ground Separator products**

Product	AGS-10k	GSB-TV	GSS-TV	GSS-F
Туре	RCA/Phono	co-ax TV – bent	co-ax TV – straight	F-type (for satellite/DAB)
SRP	115.00	29.00	29.00	20.00
Notes	Ground Separator - Analogue Humbuster to remove hum loops when connecting PC's, Mac's, media centres to hi-fi systems	Ground Separator issues between any (VCR's, STB's, a system	active electronics	Ground Separator – prevents ground issues between any active electronics (VCR's, STB's, amplified aerial systems, etc) Note: NOT suitable for phantom powered LNB's.

### **HDMI** accessories

Product	Met-B housing	Met-B housing + braid	SA90-	SA90+	
Туре	HDMI	HDMI	HDMI	HDMI	
SRP	7.00	12.00	21.00	21.00	
Notes	Spare "angled" housing for HDMI Met-S cables	Spare "angled" housing for HDMI Met-S cables, plus white braid	Right-angle adaptor (turns cable to the RIGHT if top of HDMI connector faces forward)	Right-angle adaptor (turns cable to the LEFT if top of HDMI connector faces forward)	

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### **Speaker Cable Terminations**

Product	Terminations Fitted	Pack	Suggested Retail Price (inc VAT)	Notes:
CombiCo	on connectors feature separa	te body a	d connector parts, enabling quick	changeover. The CombiCon M6 Banana plug
is a rear ent	try combination banana/BFA o	connector.	CombiCon M6 Spade can be used	d with binding posts up to 9 sq mm diameter. wed using the CombiCon M6 Body.
	<b>C</b> .	• •	• •	<b>.</b> .
				g a crimping tool. The crimp body is made of
				izes 1.6, 2.5, 3.0, 4.0 & 6.0 sq mm. The crimp
	e new M6 version CombiCon			
CombiCon	Banana/BFA (complete)	4pcs	40.00 /pk	4 bodies + 4 bananas/BFA only (Gold-plated)
	Spade (complete)	4pcs	46.00 /pk	4 bodies + 4 spades only
		-1003	40.00 /pk	(Gold Plated)
	Kit	4pcs	56.00 /pk	4 bodies, 4 banana/BFA and 4 spades
				(Gold-plated)
	Body (only)	/pc	7.00	Body only (50R/50B)
		,	4.50	
	Crimp Connector	/pc	4.50	Gold-plated – CB02, 03, 04 or 06
	Crimp Connector	/pc	5.00	Gold-plated – CB02XL
	Crimp Connector Crimp Connector	/pc	12.50 21.00	Rhodium-plated – CB02XL Rhodium-plated – CB03EX
	Chimp Connector	/рс	21.00	
	Crimp Sleeves	/pc	0.75	(S1-2, S2-4, S4-6, Red or Black) (50pcs/pk)
	Oninp Sieeves	/pc	0.75	(01-2, 02-4, 04-0, Neu or Diack) (00pc3/pk)
	Banana/BFA (tips only)	/pc	3.00	Tip only – Gold-plated (50pcs/pk)
	Banana/BFA (tips only)	/рс	8.00	Tip only – Rhodium-plated (50pcs/pk)
		,	1.00	<b>T</b>
	Spade (tips only)	/pc	4.00	Tip only – Gold-plated (50pcs/pk)
	Spade (tips only)	/рс	11.00	Tip only – Rhodium-plated(50pcs/pk)
	S-7 / S-9 Sleeve	/pc	1.00	Black or Red
	S-15 Sleeve	/pc	1.00	Black
Fork	Spades (up to 10mm dia cable)	4pcs	26.00 /pk	For binding posts up to 5.5mm diameter
Fork XL	Spades (up to 10mm dia cable)	4pcs	26.00 /pk	For binding posts up to 6.5mm diameter
Boxcon	Chassis connector (for cabinet walls up to 29mm deep)	2pcs	44.00	A fully insulated chassis mount binding post.
A range of li	ine level connectors:			
ACON	FM/TV Co-Ax connector	ea	9.00	Male, 6mm cable entry
ACON	FM/TV Co-Ax connector	ea	9.00	Female, 6mm cable entry
RCA-3	phono plug	pr	14.00	3mm cable entry (while stocks last)
RCA-6	phono plug	pr	20.00	6mm cable entry
PPX	phono plug	pr	29.00	8.5mm cable entry
PPSL	phono plug	pr	35.00	Lockable, 7.5mm cable entry
Swift XLR	1x Male/1x Female	pack	46.00	7.5mm cable entry
MP-8	3.5mm stereo mini-plug	ea	10.00	8mm cable entry
		24	10.00	
DB25M	25 pin D connector	ea	POA	Male, 11mm cable entry (AV6.4)
DB25F	25 pin D connector	ea	POA	Female, 11mm cable entry (AV6.4)
			run	
RJ45-8	Ethernet jack plug	ea	7.00	For CAT8 cable (8P8C)
DVI-I plug	24+5 pins	ea	18.00	11mm cable entry (HF100/HD5)
DVI-D plug		ea	18.00	11mm cable entry (HF100/HD5)
			and SVHS plugs (7mm or 11m ca	

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### **Supra Cables and Connectors**

Product	Cable Type	Length	Suggested Retail Price /m (inc VAT)	Notes:
Analogue Video				
AnCo	Co-axial, single shield	150m	8.00	Can be used for TV/FM co-ax cable, or as a digital co-ax audio cable or for carrying composite or component video
Trico	Co-axial, double shield	50m	18.00	Co-axial cable can be as a digital co-ax audio cable or for carrying composite or component video
Digital Video C	ables			· · · ·
HD5 / UHD8	digital video cable	50m	13.00	Suitable for making up DVI cables "on site"
Audio Cables	-	· · · ·	·	
MBS	microphone cable	150m	4.00	Supplied by the reel only
DUAL	audio cable	100m	6.50	Supplied by the reel only
BILINE	audio cable	100m	8.00	
DAC	audio cable	50m	9.00	
EFF-I	audio cable	50m	18.00	Silver plated OFC
Digital Audio C	ables	ł ł		· •
AnCo	digital audio cable	150m	8.00	Silver plated OFC
Trico	digital audio cable	50m	18.00	Silver plated OFC, better shielding
Network Cables	S			
CAT8	Ethernet	150m	8.00	Halogen Free
Mains Power C				
LoRad 1.5	1.5 sq mm, Ice Blue	100m	12.00	Tin-plated OFC, 10 Amp capacity
LoRad 2.5	2.5 sq mm, Ice Blue	50m	18.00	Tin-plated OFC, 16 Amp capacity
LoRad 2.5 SPC	2.5 sq mm, Anthracite	50m	25.00	Silver-plated OFC 16 Amp capacity

Some of the above cables can be supplied "off the reel" as required – please call for availability.

See www.supracables.co.uk for more product details.

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### "Hi-Fi Tuning" range of Audiophile Mains Fuses from Germany.

### The current ranges are as follows:

There are 4 different categories of fuse available (in terms of physical size) and with some variations of some of these:

HiFi Tuning UK Mains fuses	(as used within UK BS1363 Mains	Plugs) – Handmade in Germany
----------------------------	---------------------------------	------------------------------

Туре:	UK-Gold 2	UK-Gold 2	Supreme 3		
Version:	Silver	Silver	Silver/Copper		
Rating:	10 Amp	13 Amp	13 Amp		
Reaction:	FAST Blow (F)	FAST Blow (F)	FAST Blow (F)		
Identifier:	White Body/Black Logo	White Body/Red Logo	Black Body/Gold Logo		
Size:	6.3mm x 25.4mm	6.3mm x 25.4mm	6.3mm x 25.4mm		
SRP (inc VAT)/£	46.00	46.00	51.00		

#### HiFi Tuning 5mm x 20mm fuses – Handmade in Germany

#### SLOW BLOW IN STOCK / FAST BLOW - some lower values kept in stock

Туре:	Supreme 3	Supreme 3	Supreme 3			
Version:	99% Silver/1% Gold	99% Silver/1% Gold	Silver/Copper			
Rating:	see below	see below	see below			
Reaction:	FAST Blow (F)	SLOW Blow (T)	SLOW Blow (T)			
Identifier:		Silver end caps	Gold end caps			
Size:	5mm x 20mm	5mm x 20mm	5mm x 20mm			
SRP (inc VAT)/£	46.00	46.00	46.00			

HiFi Tuning 6.3mm x 32mm fuses – Handmade in Germany (often found in American and Far East products) SLOW BLOW IN STOCK / FAST BLOW – some lower values kept in stock

Туре:	US Supreme 3	US Supreme 3	US Supreme 3
Version:	Silver	Silver	Copper
Rating:	see below	see below	see below
Reaction:	FAST Blow (F)	SLOW Blow (T)	SLOW Blow (T)
Identifier:			
Size:	6.3mm x 32mm	6.3mm x 32mm	6.3mm x 32mm
SRP (inc VAT)/£	60.00	60.00	60.00

#### HiFi Tuning 10.3mm x 38mm fuses - Handmade in Germany - specialist fuses

Туре:	UK-Gold 2	US Supreme 3	
Version:	Silver	Silver	
Rating:	see below	see below	
Reaction:	gg/gl	gg/gl	
Identifier:			
Size:	10.3mm x 38mm	10.3mm x 38mm	
SRP (inc VAT)/£	51.00	76.00	

FAST blow (F type - used for amplifier outputs and speaker protection as well as in UK mains fuses) SLOW blow (T type known as "Time-Lag" or "Anti—Surge" - used mainly in hardware power supplies).

Rating Values: 100mA, 125mA, 160mA, 200mA, 250mA, 315mA, 400mA, 500mA, 630mA, 800mA, 125mA, 125A, 1.6A, 1.8A, 2A, 2.5A, 3A, 3.15A, 4A, 5A, 6A, 6.3A, 7A, 8A, 10A, 12.5A, 15A, 16A, 20A, 25A, 32A (where possible)

#### Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

### HiFi Tuning Fuse Holder (for DIN style Mains Distribution Boxes)

Туре:	Supreme 3	Supreme 3	Supreme 3
Version:	Silver & Gold-Plated Copper	Silver & Gold-Plated Copper	Silver & Gold-Plated Coppe
	Contacts	Contacts	Contacts
Rating:	see below	see below	
Reaction:	16 Amp FAST Blow (F)	32 Amp FAST Blow (F)	Housing ONLY
Fuse Included?:	YES	YES	NO
Fuse Size:	10.3mm x 38mm	10.3mm x 38mm	10.3mm x 38mm
SRP (inc VAT)/£	220.00	220.00	144.00

Туре:	Supreme 3 DIAMOND	Supreme 3 DIAMOND	Supreme 3 DIAMOND
Version:	Silver & Gold-Plated Copper	Silver & Gold-Plated Copper	Silver & Gold-Plated Copper
	Contacts	Contacts	Contacts
Rating:	see below	see below	Rating up to 32 Amp
Reaction:	16 Amp or 20 Amp FAST Blow	25 Amp or 32 Amp FAST Blow	Housing ONLY
	(F)	(F)	
Fuse Included?:	YES	YES	NO
Fuse Size:	10.3mm x 38mm	10.3mm x 38mm	10.3mm x 38mm
SRP (inc VAT)/£	700.00	700.00	624.00

### **HiFi Tuning Mains Connectors**

Туре:	C7 Connector	Rewireable UK Mains plug	
Version:	Figure 8 style connector	BS 1363	
Rating:	6 Amp	13 Amp	
Notes::		NO FUSE	
Identifier:	Black	Black	
Fuse Included?:	N/A	NO	
SRP (inc VAT)/£	69.00	119.00	

Туре:	Rewireable UK Mains plug	Rewireable UK Mains plug	Rewireable UK Mains plug
Version:	BS 1363	BS 1363	BS 1363
Rating:	Bussmann 13 Amp	Gold 2 10 Amp	Supreme 3 13 Amp
Reaction:	FAST	FAST	FAST
Identifier:	Black	Black	Black
Fuse Included?:	YES	YES	YES
SRP (inc VAT)/£	129.00	165.00	170.00

### HiFi Tuning CD/DVD Cleaning Kit

Туре:	Nanotuch	Supreme 3 Nano Spray/Liquid	
Version:	Micro-Fiber Cloth	Cleaning Solution	
Rating:	Supplied together as a "kit"		
SRP (inc VAT)/£	69.00		

See <u>www.wavelength-distribution.com/hifituning/index.html</u> for more details.

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

S.R.P (inc VAT)/£

### **Bocchino Audio Connectors**

The Bocchino Audio connectors are amongst the finest in the world, and are machined from 99.994% High Conductivity Oxygen Free Copper, ensuring the best possible signal transfer characteristic.

### Brenda B7/S phono plugs

Features: Short version of B7. Single cavity slot for cables, 11mm cable entry diameter, single outer shell design. Silver plated only

### Brenda B7 phono plugs

Features: Twin cavity slots for cables, 11mm cable entry diameter, single outer shell design. Silver plated only

#### Brenda B9 phono plugs

Features: Twin cavity slots for cables, 13mm (outer), 11mm (inner) cable entry diameter, Lockable "ClawLock" facility to ensure high connectivity to socket ground. **Gold plated only** 

#### Brenda TopCat TC9 sockets

Features: Option of Gold- or Silver-plated phono sockets

#### Brenda TopCat TC11 sockets

Features: Option of Gold- or Silver-plated phono sockets

See <u>www . wavelength-distribution . com / bocchino / index.html</u> for more details.

### art:one Portable Folding Headphones

Compact and supplied with their own protective carry case, the art:one headphones have been designed to look good, sound good and not induce neck ache with extended listening. Ideal for use "on the go" with portable media players, they are equally at home used with laptops and tablets (if fitted with 3.5mm audio outputs). Foam pads are user replaceable. Fitted with rubberised Y-cable terminated in an angled 3.5mm miniplug, featuring gold-plated contacts.

art:one

### **Power Wrap RF Suppressors**

Power Wraps turn your standard AC power cord into a High End power cable by reducing Radio Frequency Interference (RFI) and allowing you to tune your system. 3 types are available:

All Clear (0.328") Power Wrap (0.375") Power Wrap (0.56") (To order only)

See www.power-wrap.co.uk for more product details.

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com

### 119.00 /pair

159.00 /pair

109.00 /pair

109.00 /pair

30.00 /pair

23.99 /pair

23.99 /each

POA

109.00 /pair

S.R.P (inc VAT)/£

69.99 /set of 8

### **Sonic Design Damping Feet**

Sonic Design Damping Feet reduce the amount of vibration that enters or leaves your hi-fi and/or home cinema equipment, thereby isolating the product(s) from its environment and allowing it to function to its fullest capability.

CD/DVD Damping Feet Available in weight loading sizes of: 2-5 kg, 5-10 kg and 10-25 kg	11.99 /set of 5
Standard Centre Channel / Subwoofer Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	11.99 /set of 4
Standard Loudspeaker Damping Feet Available in weight loading sizes of: 0-12 kg, 12-28 kg, 28-50 kg and 50-100 kg	23.99 /set of 8
Audiophile Centre Channel /Sub Damping Feet Available in weight loading sizes of: 5-200 kg (model specific – front to back weight ratio of	<b>34.99 /set of 4</b> of each speaker must be specified).

#### Audiophile Loudspeaker Damping Feet

Available in weight loading sizes of: 5-200 kg (model specific - front to back weight ratio of each speaker must be specified).

See www.sonicdesign.co.uk for more product details.

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Distributed in the UK by: Wavelength Distribution, Dragons Wharf, Dragons Lane, SANDBACH, CW11 3PA Office Contact: Tim O'Malley

Email: sales @ wavelength-distribution.com www.wavelength-distribution.com